

Data Path : \\74.0.250.170\TERASTORAGE\VOASRV\HPCHEM1\MSVOA_W\DATA\VW081418\
 Data File : VW004645.D
 Acq On : 13 Aug 2018 14:20
 Operator : SY/AP
 Sample : J4421-07
 Misc : 12.71G/10ML/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AA6

Quant Time: Aug 14 01:20:55 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 01:20:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	760934	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	668886	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	202294	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	258641	27.33	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	109.32%
7) Chloroethane-d5	2.90	69	215902	27.12	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	108.48%
10) 1,1-Dichloroethene-d2	4.01	63	355731	18.51	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	74.04%
20) 2-Butanone-d5	7.09	46	159246	38.16	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	76.32%
24) Chloroform-d	7.65	84	514942	25.00	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	100.00%
26) 1,2-Dichloroethane-d4	8.31	65	294383	25.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.52%
29) Benzene-d6	8.28	84	986304	27.72	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	110.88%
33) 1,2-Dichloropropane-d6	9.28	67	332578	28.60	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	114.40%
37) Toluene-d8	10.33	98	787554	25.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	100.44%
38) trans-1,3-Dichloropropene-	10.58	79	122009	25.51	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	102.04%
39) 2-Hexanone-d5	10.93	63	119588	42.24	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.48%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	278769	22.10	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.40%
61) 1,2-Dichlorobenzene-d4	13.86	152	197219	25.96	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	103.84%


Target Compounds					Qvalue
16) Methylene chloride	4.92	84	31976	2.116 ug/L	96
59) 1,2,3-Trichloropropane	13.57	75	23857	2.592 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : \\74.0.250.170\TERASTORAGE\VOASRV\HPCHEM1\MSVOA_W\DATA\VW081418\
Data File : VW004645.D
Acq On : 13 Aug 2018 14:20
Operator : SY/AP
Sample : J4421-07
Misc : 12.71G/10ML/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AA6

Quant Time: Aug 14 01:20:55 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM080218S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 01:20:10 2018
Response via : Initial Calibration









#16
Methylene chloride
Concen: 2.116 ug/L
RT: 4.92 min Scan# 546
Delta R.T. 0.01 min
Lab File: VW004645.D
Acq: 13 Aug 2018 14:20

Instrument :
MSVOA_W
ClientSampleId :
C0AA6

Tgt Ion: 84 Resp: 31976
Ion Ratio Lower Upper
84 100
49 119.4 86.0 159.6
86 57.3 43.5 80.9



#59
1,2,3-Trichloropropane
Concen: 2.592 ug/L
RT: 13.57 min Scan# 1965
Delta R.T. 0.79 min
Lab File: VW004645.D
Acq: 13 Aug 2018 14:20

Tgt Ion: 75 Resp: 23857
Ion Ratio Lower Upper
75 100
77 34.1 25.3 37.9

