

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081425\
 Data File : VW032094.D
 Acq On : 14 Aug 2025 15:24
 Operator : SY/MD
 Sample : Q2820-11
 Misc : 6.37g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 10PC-W

Quant Time: Aug 18 03:53:43 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	137313	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	286341	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	284239	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	145639	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	118763	59.802	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	119.600%
35) Dibromofluoromethane	7.898	113	102258	55.278	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	110.560%
50) Toluene-d8	10.325	98	343997	50.276	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	100.560%
62) 4-Bromofluorobenzene	12.617	95	132784	52.662	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	105.320%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081425\
Data File : VW032094.D
Acq On : 14 Aug 2025 15:24
Operator : SY/MD
Sample : Q2820-11
Misc : 6.37g/5mL/MSVOA_W/SOIL/A
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
10PC-W

Quant Time: Aug 18 03:53:43 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 12 04:04:48 2025
Response via : Initial Calibration

