

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081518\
 Data File : VW004673.D
 Acq On : 14 Aug 2018 17:49
 Operator : SY/AP
 Sample : J4450-18
 Misc : 5.01G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAB15

Quant Time: Aug 15 19:02:15 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081418S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 12:36:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	739914	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	756604	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	284819	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	221562	18.84	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	75.36%
7) Chloroethane-d5	2.90	69	183455	20.18	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.72%
10) 1,1-Dichloroethene-d2	4.01	63	309687	14.40	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	57.60%
20) 2-Butanone-d5	7.08	46	67	0.02	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.04%#
24) Chloroform-d	7.68	84	17653	0.89	ug/L	0.02
Spiked Amount	25.000	Range	40 - 150	Recovery	=	3.56%#
26) 1,2-Dichloroethane-d4	8.31	65	266848	25.40	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.60%
29) Benzene-d6	8.28	84	856371	20.18	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.72%
33) 1,2-Dichloropropane-d6	9.28	67	296800	22.52	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.08%
37) Toluene-d8	10.33	98	699700	18.38	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	73.52%
38) trans-1,3-Dichloropropene-	10.58	79	62056	11.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	46.40%
39) 2-Hexanone-d5	10.93	63	338	0.13	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	0.26%#
48) 1,1,2,2-Tetrachloroethane-	12.69	84	481	0.04	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	0.16%#
61) 1,2-Dichlorobenzene-d4	13.86	152	269089	24.90	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.60%

Target Compounds

						Ovalue
13) Acetone	4.13	43	89889	30.78	ug/L	97
21) 2-Butanone	7.18	43	203393	49.80	ug/L	92
25) Chloroform	7.68	83	421155	21.03	ug/L	100
34) Benzene	8.32	78	115681	2.40	ug/L	100
35) Trichloroethene	9.10	95	205047	16.92	ug/L	99
49) 2-Hexanone	10.98	43	294067	49.90	ug/L	93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081518\
Data File : VW004673.D
Acq On : 14 Aug 2018 17:49
Operator : SY/AP
Sample : J4450-18
Misc : 5.01G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAB15

Quant Time: Aug 15 19:02:15 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081418S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 12:36:48 2018
Response via : Initial Calibration

