

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081518\
 Data File : VW004677.D
 Acq On : 14 Aug 2018 21:20
 Operator : SY/AP
 Sample : J4450-09
 Misc : 4.81G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 GAB08

Quant Time: Aug 16 01:15:40 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081418S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Aug 14 12:36:48 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	840790	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	846232	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	347079	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	302013	22.60	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.40%
7) Chloroethane-d5	2.90	69	233724	22.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.48%
10) 1,1-Dichloroethene-d2	4.01	63	410999	16.81	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.24%
20) 2-Butanone-d5	7.09	46	195463	54.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	108.10%
24) Chloroform-d	7.65	84	523606	23.24	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.96%
26) 1,2-Dichloroethane-d4	8.31	65	305923	25.63	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.52%
29) Benzene-d6	8.27	84	1034161	21.79	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	87.16%
33) 1,2-Dichloropropane-d6	9.28	67	338496	22.96	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.84%
37) Toluene-d8	10.33	98	884115	20.76	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	83.04%
38) trans-1,3-Dichloropropene-	10.59	79	133884	22.37	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	89.48%
39) 2-Hexanone-d5	10.93	63	174695	59.30	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	118.60%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	345318	24.97	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	99.88%
61) 1,2-Dichlorobenzene-d4	13.87	152	319462	24.26	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	97.04%


Target Compounds						Ovalue
13) Acetone	4.14	43	59733	18.00	ug/L	96
47) Tetrachloroethene	10.87	164	1418159	126.10	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081518\
Data File : VW004677.D
Acq On : 14 Aug 2018 21:20
Operator : SY/AP
Sample : J4450-09
Misc : 4.81G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
GAB08

Quant Time: Aug 16 01:15:40 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081418S.M
Quant Title : VOC Analysis
QLast Update : Tue Aug 14 12:36:48 2018
Response via : Initial Calibration









#13
Acetone
Concen: 18.00 ug/L
RT: 4.14 min Scan# 418
Delta R.T. -0.00 min
Lab File: VW004677.D
Acq: 14 Aug 2018 21:20

Instrument :
MSVOA_W
ClientSampleId :
GAB08

Tot Ion: 43 Resp: 59733
Ion Ratio Lower Upper
43 100
58 32.4 0.0 69.4



#47
Tetrachloroethene
Concen: 126.10 ug/L
RT: 10.87 min Scan# 1522
Delta R.T. -0.00 min
Lab File: VW004677.D
Acq: 14 Aug 2018 21:20

Tgt Ion:164 Resp: 1418159
Ion Ratio Lower Upper
164 100
129 96.4 65.0 120.6
131 92.5 62.2 115.4
166 128.6 88.9 165.1

