

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081524\
 Data File : VW029915.D
 Acq On : 15 Aug 2024 19:08
 Operator : SY/MD
 Sample : P3504-08
 Misc : 4.96g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCYA9

Quant Time: Aug 16 01:17:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 16 01:14:23 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	300184	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	245273	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	77710	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	69636	16.340	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.360%
7) Chloroethane-d5	2.893	69	61211	20.118	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	80.480%
11) 1,1-Dichloroethene-d2	4.021	65	29381	15.103	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.400%
21) 2-Butanone-d5	7.075	46	47037	40.270	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.540%
24) Chloroform-d	7.648	84	146532	18.857	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	75.440%
26) 1,2-Dichloroethane-d4	8.307	65	90003	20.335	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	81.320%
32) Benzene-d6	8.270	84	265774	20.055	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.200%
36) 1,2-Dichloropropane-d6	9.276	67	86108	20.349	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	81.400%
41) Toluene-d8	10.319	98	213867	18.149	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	72.600%
43) trans-1,3-Dichloroprop...	10.575	79	33324	19.461	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.840%
47) 2-Hexanone-d5	10.922	63	35227	50.486	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	100.980%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	71741	22.833	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.320%
66) 1,2-Dichlorobenzene-d4	13.848	152	44631	18.496	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	74.000%#
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	70493	48.563	ug/L	95
15) Methyl Acetate	4.673	43	5951	2.461	ug/L	# 80


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081524\
Data File : VW029915.D
Acq On : 15 Aug 2024 19:08
Operator : SY/MD
Sample : P3504-08
Misc : 4.96g/10mL/MSVOA_W/SOIL/A
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCYA9

Quant Time: Aug 16 01:17:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 16 01:14:23 2024
Response via : Initial Calibration









#13
Acetone
Concen: 48.563 ug/L
RT: 4.118 min Scan# 366
Delta R.T. -0.006 min
Lab File: VW029915.D
Acq: 15 Aug 2024 19:08

Instrument :
MSVOA_W
ClientSampleId :
DCYA9

Tgt Ion: 43 Resp: 70493
Ion Ratio Lower Upper
43 100
58 31.6 0.0 57.6



#15
Methyl Acetate
Concen: 2.461 ug/L
RT: 4.673 min Scan# 457
Delta R.T. 0.000 min
Lab File: VW029915.D
Acq: 15 Aug 2024 19:08

Tgt Ion: 43 Resp: 5951
Ion Ratio Lower Upper
43 100
74 11.4 16.5 24.7#

