

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW081618\
 Data File : VW004694.D
 Acq On : 15 Aug 2018 12:59
 Operator : SY/AP
 Sample : VIBLK84
 Misc : 5.00G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 16 02:40:22 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081418S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Aug 16 02:39:24 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	825552	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	843921	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	379676	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.36	65	270532	20.62	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	82.48%
7) Chloroethane-d5	2.90	69	229130	22.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.36%
10) 1,1-Dichloroethene-d2	4.01	63	394892	16.45	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	65.80%
20) 2-Butanone-d5	7.09	46	259360	73.05	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	146.10%#
24) Chloroform-d	7.65	84	565349	25.55	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	102.20%
26) 1,2-Dichloroethane-d4	8.38	65	277	0.02	ug/L	0.07
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.08%#
29) Benzene-d6	8.28	84	1112592	23.51	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.04%
33) 1,2-Dichloropropane-d6	9.28	67	361491	24.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	98.36%
37) Toluene-d8	10.33	98	967950	22.79	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.16%
38) trans-1,3-Dichloropropene-	10.58	79	139442	23.36	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	93.44%
39) 2-Hexanone-d5	10.93	63	200892	68.38	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	136.76%#
48) 1,1,2,2-Tetrachloroethane-	12.70	84	402518	29.19	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	116.76%
61) 1,2-Dichlorobenzene-d4	13.86	152	402418	27.94	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	111.76%


Target Compounds					Ovalue
16) Methylene chloride	4.92	84	44592	2.704 ug/L	99
59) 1,2,3-Trichloropropane	13.57	75	43643	4.173 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW081618\
Data File : VW004694.D
Acq On : 15 Aug 2018 12:59
Operator : SY/AP
Sample : VIBLK84
Misc : 5.00G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 16 02:40:22 2018
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM081418S.M
Quant Title : VOC Analysis
QLast Update : Thu Aug 16 02:39:24 2018
Response via : Initial Calibration









#16
Methvlene chloride
Concen: 2.704 ug/L
RT: 4.92 min Scan# 546
Delta R.T. -0.00 min
Lab File: VW004694.D
Acq: 15 Aug 2018 12:59

Instrument :
MSVOA_W
ClientSampleId :

Tot Ion: 84 Resp: 44592
Ion Ratio Lower Upper
84 100
49 120.6 84.9 157.7
86 66.3 45.7 84.9




Abundance Ion 84.00 (83.70 to 84.70): VW
Ion 49.00 (48.70 to 49.70): VW
Ion 86.00 (85.70 to 86.70): VW



#59
1,2,3-Trichloropropane
Concen: 4.173 ug/L
RT: 13.57 min Scan# 1965
Delta R.T. 0.79 min
Lab File: VW004694.D
Acq: 15 Aug 2018 12:59

Tgt Ion: 75 Resp: 43643
Ion Ratio Lower Upper
75 100
77 36.8 25.8 38.6



Abundance Ion 75.00 (74.70 to 75.70): VW
Ion 77.00 (76.70 to 77.70): VW

