




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081922\
 Data File : VW024295.D
 Acq On : 19 Aug 2022 16:45
 Operator : SY/VA
 Sample : N4267-04
 Misc : 5.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COZH0

Manual IntegrationsAPPROVED

Quant Time: Aug 20 04:11:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 20 00:56:10 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/22/2022
 Supervised By :Mahesh Dadoda 08/22/2022



TIC: VW024295.D\data.ms

(24) Chloroform-d (S)

7.726min (+ 0.079) 0.07 ug/L

response 493

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	62.20	50.30
47.00	43.20	39.96
49.00	26.90	26.98




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081922\
 Data File : VW024295.D
 Acq On : 19 Aug 2022 16:45
 Operator : SY/VA
 Sample : N4267-04
 Misc : 5.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COZH0

Manual IntegrationsAPPROVED

Quant Time: Aug 20 04:11:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 20 00:56:10 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/22/2022
 Supervised By :Mahesh Dadoda 08/22/2022



TIC: VW024295.D\data.ms

(24) Chloroform-d (S)

7.647min (-0.000) 20.50 ug/L m

response 145889

Ion	Exp%	Act%
84.00	100.00	100.00
86.00	62.20	0.17#
47.00	43.20	0.14#
49.00	26.90	0.09#

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081922\
 Data File : VW024295.D
 Acq On : 19 Aug 2022 16:45
 Operator : SY/VA
 Sample : N4267-04
 Misc : 5.95g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COZH0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/22/2022
 Supervised By :Mahesh Dadoda 08/22/2022

Quant Time: Aug 20 04:11:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 20 00:56:10 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	235217	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	226073	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	81687	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	91462	18.603	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	74.400%	
7) Chloroethane-d5	2.873	69	66348	21.663	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	86.640%	
11) 1,1-Dichloroethene-d2	4.007	63	67426	12.033	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	48.120%	
21) 2-Butanone-d5	7.080	46	55192	60.338	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	120.680%	
24) Chloroform-d	7.647	84	145889m	20.498	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	82.000%	
26) 1,2-Dichloroethane-d4	8.305	65	88231	22.329	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	89.320%	
32) Benzene-d6	8.268	84	246806	18.511	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	74.040%	
36) 1,2-Dichloropropane-d6	9.274	67	91852	23.333	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	93.320%	
41) Toluene-d8	10.317	98	219610	17.622	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	70.480%	
43) trans-1,3-Dichloroprop...	10.573	79	34481	19.998	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	80.000%	
47) 2-Hexanone-d5	10.920	63	46445	63.876	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	127.760%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	104613	27.390	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	109.560%	
66) 1,2-Dichlorobenzene-d4	13.853	152	72451	24.237	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	96.960%	
Target Compounds					Qvalue	
13) Acetone	4.141	43	4027	5.980	ug/L	97
34) Trichloroethene	9.091	95	3287	0.931	ug/L #	90
46) Tetrachloroethene	10.859	164	4162	1.457	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW081922\
Data File : VW024295.D
Acq On : 19 Aug 2022 16:45
Operator : SY/VA
Sample : N4267-04
Misc : 5.95g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0ZH0

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/22/2022
Supervised By :Mahesh Dadoda 08/22/2022

Quant Time: Aug 20 04:11:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM080422SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Aug 20 00:56:10 2022
Response via : Initial Calibration

