

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082123\
 Data File : VW026783.D
 Acq On : 21 Aug 2023 11:15
 Operator : SY/MD
 Sample : VW0821SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK553

Quant Time: Aug 22 01:31:51 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 22 01:31:05 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	513171	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	536901	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	265079	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	132991	15.765	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.040%
7) Chloroethane-d5	2.893	69	119800	19.098	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	76.400%
11) 1,1-Dichloroethene-d2	4.021	65	85156	20.524	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	82.080%
21) 2-Butanone-d5	7.081	46	130357	53.763	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	107.520%
24) Chloroform-d	7.648	84	416677	24.192	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	96.760%
26) 1,2-Dichloroethane-d4	8.307	65	243821	25.652	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.600%
32) Benzene-d6	8.276	84	886368	23.954	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	95.800%
36) 1,2-Dichloropropane-d6	9.276	67	261397	22.679	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	90.720%
41) Toluene-d8	10.325	98	718622	22.624	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.480%
43) trans-1,3-Dichloroprop...	10.575	79	107883	22.670	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	90.680%
47) 2-Hexanone-d5	10.922	63	62854	51.897	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.800%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	212583	23.355	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	93.400%
66) 1,2-Dichlorobenzene-d4	13.849	152	264735	27.903	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	111.600%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082123\
Data File : VW026783.D
Acq On : 21 Aug 2023 11:15
Operator : SY/MD
Sample : VW0821SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK553

Quant Time: Aug 22 01:31:51 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 22 01:31:05 2023
Response via : Initial Calibration

