

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082224\
 Data File : VW029985.D
 Acq On : 22 Aug 2024 14:14
 Operator : SY/MD
 Sample : P3673-07
 Misc : 5.43g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCY18

Quant Time: Aug 23 01:51:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Aug 23 01:48:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	441243	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	404178	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	179363	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	78905	12.596	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	50.400%
7) Chloroethane-d5	2.899	69	70512	15.767	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	63.080%
11) 1,1-Dichloroethene-d2	4.021	65	37730	13.195	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	52.760%
21) 2-Butanone-d5	7.093	46	47926	27.914	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	55.820%
24) Chloroform-d	7.648	84	208239	18.231	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	72.920%
26) 1,2-Dichloroethane-d4	8.307	65	112108	17.232	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	68.920%#
32) Benzene-d6	8.276	84	375406	17.190	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	68.760%
36) 1,2-Dichloropropane-d6	9.276	67	123487	17.709	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	70.840%
41) Toluene-d8	10.325	98	346755	17.857	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	71.440%
43) trans-1,3-Dichloroprop...	10.575	79	46750	16.568	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	66.280%
47) 2-Hexanone-d5	10.922	63	39502	34.355	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	68.720%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	97887	18.906	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	75.640%
66) 1,2-Dichlorobenzene-d4	13.848	152	113389	20.359	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.440%
Target Compounds						
					Qvalue	
6) Bromomethane	2.789	94	3284	0.725	ug/L	96
13) Acetone	4.149	43	83918	39.330	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082224\
Data File : VW029985.D
Acq On : 22 Aug 2024 14:14
Operator : SY/MD
Sample : P3673-07
Misc : 5.43g/10mL/MSVOA_W/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCY18

Quant Time: Aug 23 01:51:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM072424SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Aug 23 01:48:12 2024
Response via : Initial Calibration









#6
Bromomethane
Concen: 0.725 ug/L
RT: 2.789 min Scan# 149
Delta R.T. -0.006 min
Lab File: VW029985.D
Acq: 22 Aug 2024 14:14

Instrument :
MSVOA_W
ClientSampleId :
DCY18

Tgt Ion: 94 Resp: 3284
Ion Ratio Lower Upper
94 100
96 98.2 66.2 123.0



#13
Acetone
Concen: 39.330 ug/L
RT: 4.149 min Scan# 371
Delta R.T. 0.025 min
Lab File: VW029985.D
Acq: 22 Aug 2024 14:14

Tgt Ion: 43 Resp: 83918
Ion Ratio Lower Upper
43 100
58 32.8 0.0 57.6

