

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082225\
 Data File : VW032114.D
 Acq On : 22 Aug 2025 16:29
 Operator : SY/MD
 Sample : Q2933-01
 Misc : 5.00g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 25-SEPTIC

Quant Time: Aug 25 03:58:56 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	143194	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	299240	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.635	117	289923	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	141778	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	114308	55.195	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	110.380%
35) Dibromofluoromethane	7.904	113	104717	54.167	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	108.340%
50) Toluene-d8	10.325	98	353265	49.405	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	98.820%
62) 4-Bromofluorobenzene	12.617	95	123014	46.685	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	93.360%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082225\
Data File : VW032114.D
Acq On : 22 Aug 2025 16:29
Operator : SY/MD
Sample : Q2933-01
Misc : 5.00g/5mL/MSVOA_W/SOIL/A
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
25-SEPTIC

Quant Time: Aug 25 03:58:56 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 12 04:04:48 2025
Response via : Initial Calibration

