

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082225\
 Data File : VW032122.D
 Acq On : 22 Aug 2025 19:24
 Operator : SY/MD
 Sample : Q2949-01
 Misc : 5.50g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 367

Quant Time: Aug 25 04:02:21 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
 Quant Title : SW846 8260
 QLast Update : Tue Aug 12 04:04:48 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	184727	50.000	ug/l	# 0.00
34) 1,4-Difluorobenzene	8.849	114	361968	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	365942	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	187573	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	130947	49.013	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	98.020%
35) Dibromofluoromethane	7.898	113	119021	50.897	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	101.800%
50) Toluene-d8	10.325	98	421063	48.682	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	97.360%
62) 4-Bromofluorobenzene	12.617	95	174736	54.821	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	109.640%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082225\
Data File : VW032122.D
Acq On : 22 Aug 2025 19:24
Operator : SY/MD
Sample : Q2949-01
Misc : 5.50g/5mL/MSVOA_W/SOIL/A
ALS Vial : 21 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
367

Quant Time: Aug 25 04:02:21 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W081125S.M
Quant Title : SW846 8260
QLast Update : Tue Aug 12 04:04:48 2025
Response via : Initial Calibration

