

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082523\
 Data File : VW026906.D
 Acq On : 25 Aug 2023 19:32
 Operator : SY/MD
 Sample : IBLK
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 26 01:50:02 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 26 01:43:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	515424	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	498605	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	258837	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	168125	19.842	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.360%
7) Chloroethane-d5	2.893	69	132918	21.096	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.400%
11) 1,1-Dichloroethene-d2	4.027	65	83976	20.151	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.600%
21) 2-Butanone-d5	7.081	46	129838	53.315	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.620%
24) Chloroform-d	7.648	84	393667	22.757	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.040%
26) 1,2-Dichloroethane-d4	8.307	65	232842	24.390	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	97.560%
32) Benzene-d6	8.276	84	775730	22.574	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	90.280%
36) 1,2-Dichloropropane-d6	9.270	67	258979	24.195	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	96.760%
41) Toluene-d8	10.325	98	649602	22.022	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.080%
43) trans-1,3-Dichloroprop...	10.575	79	96116	21.748	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.000%
47) 2-Hexanone-d5	10.922	63	59912	53.268	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.540%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	214600	25.387	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.560%
66) 1,2-Dichlorobenzene-d4	13.848	152	235107	25.377	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	101.520%
Target Compounds						
16) Methylene chloride	4.917	84	44218	4.435	ug/L	Qvalue 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082523\
Data File : VW026906.D
Acq On : 25 Aug 2023 19:32
Operator : SY/MD
Sample : IBLK
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Aug 26 01:50:02 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Aug 26 01:43:45 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 4.435 ug/L
RT: 4.917 min Scan# 49
Delta R.T. 0.000 min
Lab File: VW026906.D
Acq: 25 Aug 2023 19:32

Instrument :
MSVOA_W
ClientSampleId :

Tgt Ion: 84 Resp: 44218
Ion Ratio Lower Upper
84 100
86 57.2 43.5 80.9
49 146.2 96.0 178.2

