

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082523\
 Data File : VW026890.D
 Acq On : 25 Aug 2023 13:06
 Operator : SY/MD
 Sample : 04157-05
 Misc : 6.11g/10mL/MSVOA_W/SOIL
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCHU1

Quant Time: Aug 26 01:45:54 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 26 01:43:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	477958	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	533486	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	279077	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.357	65	76762	9.770	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	39.080%
7) Chloroethane-d5	2.887	69	79900	13.676	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	54.720%
11) 1,1-Dichloroethene-d2	4.021	65	45107	11.673	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	46.680%
21) 2-Butanone-d5	7.075	46	176051	77.958	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	155.920%#
24) Chloroform-d	7.648	84	331346	20.655	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.640%
26) 1,2-Dichloroethane-d4	8.307	65	237318	26.808	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	107.240%
32) Benzene-d6	8.270	84	585641	15.928	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	63.720%
36) 1,2-Dichloropropane-d6	9.270	67	240737	21.020	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.080%
41) Toluene-d8	10.325	98	488885	15.490	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	61.960%
43) trans-1,3-Dichloroprop...	10.575	79	95050	20.101	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	80.400%
47) 2-Hexanone-d5	10.922	63	83019	68.986	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	137.980%#
56) 1,1,2,2-Tetrachloroeth...	12.690	84	282937	31.283	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	125.120%#
66) 1,2-Dichlorobenzene-d4	13.848	152	215811	21.605	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	86.440%
Target Compounds						
					Qvalue	
16) Methylene chloride	4.917	84	27597	2.985	ug/L	92
19) 1,1-Dichloroethane	6.216	63	145604	8.974	ug/L	100
20) cis-1,2-Dichloroethene	7.179	96	17489	2.064	ug/L	85
46) Tetrachloroethene	10.855	164	19421	2.702	ug/L	92

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082523\
Data File : VW026890.D
Acq On : 25 Aug 2023 13:06
Operator : SY/MD
Sample : 04157-05
Misc : 6.11g/10mL/MSVOA_W/SOIL
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCHU1

Quant Time: Aug 26 01:45:54 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Aug 26 01:43:45 2023
Response via : Initial Calibration

