

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082523\
 Data File : VW026923.D
 Acq On : 26 Aug 2023 03:28
 Operator : SY/MD
 Sample : VIBLK495
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK495

Manual Integrations
 APPROVED

Reviewed By : Semsettin Yesilyurt 08/28/2023
 Supervised By : Mahesh Dadoda 08/28/2023

Quant Time: Aug 28 01:09:11 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Aug 26 05:14:45 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	433248	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	439013	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	229368	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	164798	23.139	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 92.560%			
7) Chloroethane-d5	2.893	69	132187	24.960	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 99.840%			
11) 1,1-Dichloroethene-d2	4.027	65	83438	23.820	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 95.280%			
21) 2-Butanone-d5	7.075	46	119283	58.271	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 116.540%			
24) Chloroform-d	7.648	84	403334	27.738	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 110.960%			
26) 1,2-Dichloroethane-d4	8.307	65	237632m	29.613	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 118.440%			
32) Benzene-d6	8.276	84	794467	26.258	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 105.040%			
36) 1,2-Dichloropropane-d6	9.270	67	261975	27.797	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 111.200%			
41) Toluene-d8	10.325	98	672789	25.904	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 103.600%			
43) trans-1,3-Dichloroprop...	10.575	79	92203	23.695	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 94.760%			
47) 2-Hexanone-d5	10.922	63	58146	58.715	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 117.440%			
56) 1,1,2,2-Tetrachloroeth...	12.690	84	211693	28.442	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 113.760%			
66) 1,2-Dichlorobenzene-d4	13.849	152	228726	27.861	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 111.440%			
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	24982	2.981	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082523\
Data File : VW026923.D
Acq On : 26 Aug 2023 03:28
Operator : SY/MD
Sample : VIBLK495
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK495

Quant Time: Aug 28 01:09:11 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM081023SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Aug 26 05:14:45 2023
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 08/28/2023
Supervised By :Mahesh Dadoda 08/28/2023

