




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024389.D
 Acq On : 27 Aug 2022 09:00
 Operator : SY/VA
 Sample : N4345-16
 Misc : 5.83g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVT4

Manual IntegrationsAPPROVED

Quant Time: Aug 29 00:59:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 00:57:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022



TIC: VW024389.D\data.ms

(21) 2-Butanone-d5 (S)

7.311min (+ 0.232) 0.23 ug/L

response	205	
Ion	Exp%	Act%
46.00	100.00	100.00
77.00	12.40	14.63
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024389.D
 Acq On : 27 Aug 2022 09:00
 Operator : SY/VA
 Sample : N4345-16
 Misc : 5.83g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVT4

Manual IntegrationsAPPROVED

Quant Time: Aug 29 00:59:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 00:57:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022



TIC: VW024389.D\data.ms

(21) 2-Butanone-d5 (S)

7.080min (+ 0.000) 31.47 ug/L m

response 28273

Ion	Exp%	Act%
46.00	100.00	100.00
77.00	12.40	0.11#
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
 Data File : VW024389.D
 Acq On : 27 Aug 2022 09:00
 Operator : SY/VA
 Sample : N4345-16
 Misc : 5.83g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVT4

Manual IntegrationsAPPROVED

Quant Time: Aug 29 00:59:00 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Mon Aug 29 00:57:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/30/2022

Compound	R.T.	Q	Ion	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene	8.842	114		176942	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117		176879	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152		78199	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3	2.343	65		98951	20.287	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	81.160%		
7) Chloroethane-d5	2.873	69		80158	21.934	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150		Recovery =	87.720%		
11) 1,1-Dichloroethene-d2	4.013	63		64369	15.217	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110		Recovery =	60.880%		
21) 2-Butanone-d5	7.080	46		28273m	31.471	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	62.940%		
24) Chloroform-d	7.647	84		93167	16.378	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150		Recovery =	65.520%		
26) 1,2-Dichloroethane-d4	8.305	65		56206	16.293	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130		Recovery =	65.160%#		
32) Benzene-d6	8.275	84		187701	18.521	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135		Recovery =	74.080%		
36) 1,2-Dichloropropane-d6	9.268	67		55517	17.615	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120		Recovery =	70.440%		
41) Toluene-d8	10.323	98		176621	18.330	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130		Recovery =	73.320%		
43) trans-1,3-Dichloroprop...	10.573	79		17690	11.994	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135		Recovery =	47.960%		
47) 2-Hexanone-d5	10.927	63		21689	30.752	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135		Recovery =	61.500%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84		53676	15.042	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120		Recovery =	60.160%		
66) 1,2-Dichlorobenzene-d4	13.853	152		53356	18.119	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120		Recovery =	72.480%#		
Target Compounds							
46) Tetrachloroethene	10.860	164		296746	131.642	ug/L	Qvalue 93

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082622\
Data File : VW024389.D
Acq On : 27 Aug 2022 09:00
Operator : SY/VA
Sample : N4345-16
Misc : 5.83g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVT4

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
Supervised By :Mahesh Dadoda 08/30/2022

Quant Time: Aug 29 00:59:00 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Mon Aug 29 00:57:06 2022
Response via : Initial Calibration

