

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082724\
 Data File : VW030060.D
 Acq On : 27 Aug 2024 23:10
 Operator : SY/MD
 Sample : P3733-16
 Misc : 8.11g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A44A8

Quant Time: Aug 28 02:45:41 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082624SMA.M
 Quant Title : SFAM01.0
 QLast Update : Wed Aug 28 02:43:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	292988	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	271862	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.550	152	120873	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	71514	16.402	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	65.600%
7) Chloroethane-d5	2.899	69	55102	17.807	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.240%
11) 1,1-Dichloroethene-d2	4.021	65	32629	17.516	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	70.080%
21) 2-Butanone-d5	7.087	46	38928	44.789	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.580%
24) Chloroform-d	7.648	84	150138	19.002	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	76.000%
26) 1,2-Dichloroethane-d4	8.307	65	85375	21.280	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.120%
32) Benzene-d6	8.276	84	301415	18.783	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	75.120%
36) 1,2-Dichloropropane-d6	9.270	67	96814	20.592	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	82.360%
41) Toluene-d8	10.319	98	268822	18.405	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	73.600%
43) trans-1,3-Dichloroprop...	10.581	79	36640	18.945	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	75.800%
47) 2-Hexanone-d5	10.922	63	32823	45.615	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	91.240%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	77010	22.247	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	89.000%
66) 1,2-Dichlorobenzene-d4	13.848	152	88829	20.318	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.280%
Target Compounds						
13) Acetone	4.149	43	11434	14.383	ug/L	Qvalue 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082724\
Data File : VW030060.D
Acq On : 27 Aug 2024 23:10
Operator : SY/MD
Sample : P3733-16
Misc : 8.11g/10mL/MSVOA_W/SOIL/A
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A44A8

Quant Time: Aug 28 02:45:41 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082624SMA.M
Quant Title : SFAM01.0
QLast Update : Wed Aug 28 02:43:49 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 14.383 ug/L
 RT: 4.149 min Scan# 31
 Delta R.T. 0.006 min
 Lab File: VW030060.D
 Acq: 27 Aug 2024 23:10

Instrument :
 MSVOA_W
 ClientSampleId :
 A44A8

Tgt Ion: 43 Resp: 11434
 Ion Ratio Lower Upper
 43 100
 58 32.0 0.0 66.4

