

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082818\
 Data File : VW004990.D
 Acq On : 28 Aug 2018 17:17
 Operator : SY/AP
 Sample : J4678-01
 Misc : 5.94G/10ML/MSVOA W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 E5FC2

Manual Integrations
 APPROVED

MMDadoda
 8/29/2018 5:04:57 PM

Quant Time: Aug 29 15:31:16 2018
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
 Quant Title : VOC Analysis
 QLast Update : Wed Aug 29 04:23:47 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	8.85	114	629748	25.00	ug/L	0.00
28) Chlorobenzene-d5	11.63	117	704458	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	13.57	152	340459	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	2.35	65	243645	20.47	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	81.88%
7) Chloroethane-d5	2.89	69	194397	22.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	88.12%
10) 1,1-Dichloroethene-d2	4.02	63	251544	16.55	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	66.20%
20) 2-Butanone-d5	7.09	46	118810	49.04	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.08%
24) Chloroform-d	7.65	84	303343	21.70	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	86.80%
26) 1,2-Dichloroethane-d4	8.31	65	198246	26.10	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	104.40%
29) Benzene-d6	8.28	84	759254	20.95	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.80%
33) 1,2-Dichloropropane-d6	9.28	67	227363	21.36	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	85.44%
37) Toluene-d8	10.33	98	819471	21.35	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	85.40%
38) trans-1,3-Dichloropropene-	10.58	79	95156	20.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	83.08%
39) 2-Hexanone-d5	10.93	63	118472	44.91	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.82%
48) 1,1,2,2-Tetrachloroethane-	12.70	84	245248	22.93	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.72%
61) 1,2-Dichlorobenzene-d4	13.86	152	349983	25.59	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	102.36%

Target Compounds					Ovalue
13) Acetone	4.14	43	9941	5.30 ug/L	98
16) Methylene chloride	4.93	84	38911m	3.19 ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW082818\
Data File : VW004990.D
Acq On : 28 Aug 2018 17:17
Operator : SY/AP
Sample : J4678-01
Misc : 5.94G/10ML/MSVOA W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
E5FC2

Manual Integrations
APPROVED

MMDadoda
8/29/2018 5:04:57 PM

Quant Time: Aug 29 15:31:16 2018
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\SOM2WLM082218S.M
Quant Title : VOC Analysis
QLast Update : Wed Aug 29 04:23:47 2018
Response via : Initial Calibration









#13
Acetone
Concen: 5.30 ug/L
RT: 4.14 min Scan# 419
Delta R.T. -0.00 min
Lab File: VW004990.D
Acq: 28 Aug 2018 17:17

Instrument :
MSVOA_W
ClientSampled :
E5FC2

Tot Ion	43	Resp	9941
Ion Ratio	100	Lower	Upper
58	35.7	0.0	69.4

Manual Integrations
APPROVED

MMDadoda
8/29/2018 5:04:57 PM



#16
Methylene chloride
Concen: 3.19 ug/L m
RT: 4.93 min Scan# 549
Delta R.T. 0.01 min
Lab File: VW004990.D
Acq: 28 Aug 2018 17:17

Tgt Ion	84	Resp	38911
Ion Ratio	100	Lower	Upper
49	102.0	83.8	155.6
86	55.7	42.6	79.0

