

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082824\
 Data File : VW030069.D
 Acq On : 28 Aug 2024 12:21
 Operator : SY/MD
 Sample : P3721-06
 Misc : 3.06g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DCYJ0

Quant Time: Aug 29 01:13:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082624SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 29 01:10:06 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	279847	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	256801	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.555	152	111927	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.362	65	80425	19.312	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	77.240%
7) Chloroethane-d5	2.899	69	58428	19.768	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	79.080%
11) 1,1-Dichloroethene-d2	4.021	65	35907	20.181	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.720%
21) 2-Butanone-d5	7.069	46	45396	54.684	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	109.360%
24) Chloroform-d	7.648	84	152180	20.165	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.680%
26) 1,2-Dichloroethane-d4	8.306	65	86323	22.527	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	90.120%
32) Benzene-d6	8.276	84	299478	19.757	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	79.040%
36) 1,2-Dichloropropane-d6	9.270	67	97313	21.912	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	87.640%
41) Toluene-d8	10.318	98	269108	19.505	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	78.040%
43) trans-1,3-Dichloroprop...	10.574	79	38451	21.048	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.200%
47) 2-Hexanone-d5	10.922	63	39065	57.474	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	114.940%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	77060	23.567	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.280%
66) 1,2-Dichlorobenzene-d4	13.848	152	68668	16.962	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	67.840%#
Target Compounds						
					Qvalue	
13) Acetone	4.118	43	68840	90.662	ug/L	98
15) Methyl Acetate	4.685	43	1571	1.061	ug/L #	82


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082824\
Data File : VW030069.D
Acq On : 28 Aug 2024 12:21
Operator : SY/MD
Sample : P3721-06
Misc : 3.06g/10mL/MSVOA_W/SOIL/B
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DCYJ0

Quant Time: Aug 29 01:13:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082624SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 29 01:10:06 2024
Response via : Initial Calibration





#13

Acetone

Concen: 90.662 ug/L

RT: 4.118 min Scan# 3

Delta R.T. -0.000 min

Lab File: VW030069.D

Acq: 28 Aug 2024 12:21

Instrument :

MSVOA_W

ClientSampleId :





DCYJ0

Tgt Ion: 43 Resp: 68840

Ion Ratio Lower Upper

43 100

58 32.0 0.0 66.4



#15

Methyl Acetate

Concen: 1.061 ug/L

RT: 4.685 min Scan# 459

Delta R.T. 0.018 min

Lab File: VW030069.D

Acq: 28 Aug 2024 12:21

Tgt Ion: 43 Resp: 1571

Ion Ratio Lower Upper

43 100

74 15.8 19.9 29.9#

