

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
 Data File : VW024460.D
 Acq On : 29 Aug 2022 21:20
 Operator : SY/VA
 Sample : N4362-09
 Misc : 4.90g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 30 00:26:01 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 30 00:24:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	380102	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	369880	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.560	152	166693	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	201176	19.200	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	76.800%	
7) Chloroethane-d5	2.873	69	126916	16.167	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	64.680%	
11) 1,1-Dichloroethene-d2	4.135	63	728	0.080	ug/L	0.12
Spiked Amount 25.000	Range 45	- 110	Recovery	=	0.320%#	
21) 2-Butanone-d5	7.317	46	222	0.115	ug/L	0.24
Spiked Amount 50.000	Range 20	- 135	Recovery	=	0.240%#	
24) Chloroform-d	7.647	84	226570	18.541	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	74.160%	
26) 1,2-Dichloroethane-d4	8.177	65	152	0.021	ug/L	-0.13
Spiked Amount 25.000	Range 70	- 130	Recovery	=	0.080%#	
32) Benzene-d6	8.275	84	443416	20.923	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	83.680%	
36) 1,2-Dichloropropane-d6	9.274	67	130135	19.745	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	79.000%	
41) Toluene-d8	10.323	98	404104	20.055	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	80.240%	
43) trans-1,3-Dichloroprop...	10.579	79	50290	16.305	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	65.240%	
47) 2-Hexanone-d5	10.927	63	41258	27.974	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	55.940%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	104956	14.066	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	56.280%	
66) 1,2-Dichlorobenzene-d4	13.853	152	126253	20.113	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	80.440%	
Target Compounds						
46) Tetrachloroethene	10.853	164	2828	0.600	ug/L #	Qvalue 72


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
Data File : VW024460.D
Acq On : 29 Aug 2022 21:20
Operator : SY/VA
Sample : N4362-09
Misc : 4.90g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Aug 30 00:26:01 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 30 00:24:06 2022
Response via : Initial Calibration





Tetrachloroethene
 Concen: 0.600 ug/L
 RT: 10.853 min Scan# 1468
 Delta R.T. -0.006 min
 Lab File: VW024460.D
 Acq: 29 Aug 2022 21:20

Instrument : MSVOA_W
 ClientSampleId :



Tgt Ion:	164	Resp:	2828
Ion	Ratio	Lower	Upper
164	100		
129	146.4	72.9	135.3#
131	107.5	63.7	118.3
166	94.0	86.2	160.0

