

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
 Data File : VW024465.D
 Acq On : 29 Aug 2022 23:23
 Operator : SY/VA
 Sample : N4344-11RE
 Misc : 4.82g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Aug 30 00:26:39 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 30 00:24:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	363389	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	351121	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	154736	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	187909	18.759	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	75.040%	
7) Chloroethane-d5	2.873	69	120029	15.992	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	63.960%	
11) 1,1-Dichloroethene-d2	4.117	63	893	0.103	ug/L	0.10
Spiked Amount 25.000	Range 45	- 110	Recovery	=	0.400%#	
21) 2-Butanone-d5	7.220	46	275	0.149	ug/L	0.14
Spiked Amount 50.000	Range 20	- 135	Recovery	=	0.300%#	
24) Chloroform-d	7.647	84	208876	17.879	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	71.520%	
26) 1,2-Dichloroethane-d4	8.427	65	224	0.032	ug/L	0.12
Spiked Amount 25.000	Range 70	- 130	Recovery	=	0.120%#	
32) Benzene-d6	8.268	84	398681	19.818	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	79.280%	
36) 1,2-Dichloropropane-d6	9.274	67	119040	19.027	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	76.120%	
41) Toluene-d8	10.323	98	369607	19.323	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	77.280%	
43) trans-1,3-Dichloroprop...	10.573	79	45573	15.565	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	62.280%	
47) 2-Hexanone-d5	10.920	63	43446	31.031	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	62.060%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	104995	14.822	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	59.280%	
66) 1,2-Dichlorobenzene-d4	13.853	152	117330	20.136	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	80.560%	
Target Compounds						
46) Tetrachloroethene	10.859	164	31359	7.008	ug/L	Qvalue 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
Data File : VW024465.D
Acq On : 29 Aug 2022 23:23
Operator : SY/VA
Sample : N4344-11RE
Misc : 4.82g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Aug 30 00:26:39 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 30 00:24:06 2022
Response via : Initial Calibration





Tetrachloroethene
 Concen: 7.008 ug/L
 RT: 10.859 min Scan# 1469
 Delta R.T. -0.000 min
 Lab File: VW024465.D
 Acq: 29 Aug 2022 23:23

Instrument : MSVOA_W
 ClientSampleId :



Tgt Ion:	164	Resp:	31359
Ion	Ratio	Lower	Upper
164	100		
129	106.7	72.9	135.3
131	95.3	63.7	118.3
166	120.1	86.2	160.0

