

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
 Data File : VW024467.D
 Acq On : 30 Aug 2022 00:13
 Operator : SY/VA
 Sample : N4344-22
 Misc : 5.07g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVR9

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/31/2022

Quant Time: Aug 30 06:27:26 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 30 00:24:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	404742	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	378478	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	162061	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.337	65	209004	18.733	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.920%		
7) Chloroethane-d5	2.873	69	131895	15.778	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	63.120%		
11) 1,1-Dichloroethene-d2	4.001	63	153308	15.844	ug/L	-0.01
Spiked Amount 25.000	Range 45 - 110		Recovery =	63.360%		
21) 2-Butanone-d5	7.080	46	47065	22.903	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	45.800%		
24) Chloroform-d	7.653	84	18520	1.423	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	5.680%#		
26) 1,2-Dichloroethane-d4	8.305	65	130315m	16.514	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	66.040%#		
32) Benzene-d6	8.268	84	458722	21.154	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	84.600%		
36) 1,2-Dichloropropane-d6	9.268	67	134674	19.970	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	79.880%		
41) Toluene-d8	10.323	98	417492	20.249	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	81.000%		
43) trans-1,3-Dichloroprop...	10.573	79	51883	16.440	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	65.760%		
47) 2-Hexanone-d5	10.920	63	36178	23.972	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	47.940%		
56) 1,1,2,2-Tetrachloroeth...	12.548	84	77	0.010	ug/L	-0.14
Spiked Amount 25.000	Range 45 - 120		Recovery =	0.040%#		
66) 1,2-Dichlorobenzene-d4	13.853	152	119484	19.578	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	78.320%		
Target Compounds						
13) Acetone	4.129	43	5973	4.870	ug/L	98
25) Chloroform	7.677	83	214723	17.885	ug/L	96
34) Trichloroethene	9.085	95	28771	4.633	ug/L	97
46) Tetrachloroethene	10.860	164	1900436	394.002	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
Data File : VW024467.D
Acq On : 30 Aug 2022 00:13
Operator : SY/VA
Sample : N4344-22
Misc : 5.07g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVR9

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 08/30/2022
Supervised By : Mahesh Dadoda 08/31/2022

Quant Time: Aug 30 06:27:26 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 30 00:24:06 2022
Response via : Initial Calibration

