

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
 Data File : VW024486.D
 Acq On : 30 Aug 2022 10:53
 Operator : SY/VA
 Sample : N4365-10
 Misc : 5.65g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 DBVY8

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 08/31/2022
 Supervised By :Mahesh Dadoda 08/31/2022

Quant Time: Aug 31 01:19:35 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 30 07:05:43 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	361719	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	347166	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	158289	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.337	65	184582	18.512	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	74.040%		
7) Chloroethane-d5	2.873	69	120811	16.171	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	64.680%		
11) 1,1-Dichloroethene-d2	4.007	63	141887	16.407	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	65.640%		
21) 2-Butanone-d5	7.074	46	65547	35.690	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	71.380%		
24) Chloroform-d	7.641	84	210202	18.076	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	72.320%		
26) 1,2-Dichloroethane-d4	8.305	65	125507m	17.797	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	71.200%		
32) Benzene-d6	8.269	84	416885	20.958	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	83.840%		
36) 1,2-Dichloropropane-d6	9.268	67	122197	19.754	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	79.000%		
41) Toluene-d8	10.323	98	388552	20.545	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	82.200%		
43) trans-1,3-Dichloroprop...	10.573	79	51832	17.905	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	71.600%		
47) 2-Hexanone-d5	10.921	63	49884	36.035	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	72.080%		
56) 1,1,2,2-Tetrachloroeth...	12.689	84	114974	16.416	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	65.680%		
66) 1,2-Dichlorobenzene-d4	13.853	152	123351	20.694	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	82.760%		
Target Compounds					Qvalue	
13) Acetone	4.123	43	3338	3.046	ug/L	72
46) Tetrachloroethene	10.866	164	2277	0.515	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
Data File : VW024486.D
Acq On : 30 Aug 2022 10:53
Operator : SY/VA
Sample : N4365-10
Misc : 5.65g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
DBVY8

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 08/31/2022
Supervised By : Mahesh Dadoda 08/31/2022

Quant Time: Aug 31 01:19:35 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 30 07:05:43 2022
Response via : Initial Calibration

