




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
Data File : VW024457.D
Acq On : 29 Aug 2022 20:06
Operator : SY/VA
Sample : N4362-06
Misc : 5.98g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0FB7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
Supervised By :Mahesh Dadoda 08/31/2022

Quant Time: Aug 30 00:25:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 30 00:24:06 2022
Response via : Initial Calibration

**(20) cis-1,2-Dichloroethene (T)**

7.287min (+ 0.122) 0.02 ug/L

response 119

Ion	Exp%	Act%
96.00	100.00	100.00
61.00	128.90	125.74
68.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
 Data File : VW024457.D
 Acq On : 29 Aug 2022 20:06
 Operator : SY/VA
 Sample : N4362-06
 Misc : 5.98g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0FB7

Manual IntegrationsAPPROVED

Quant Time: Aug 30 00:25:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 30 00:24:06 2022
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/31/2022



TIC: VW024457.D\data.ms

(20) cis-1,2-Dichloroethene (T)

7.159min (-0.006) 8.03 ug/L m

response 50288

Ion	Exp%	Act%
96.00	100.00	100.00
61.00	128.90	122.74
68.00	0.00	0.28#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
 Data File : VW024457.D
 Acq On : 29 Aug 2022 20:06
 Operator : SY/VA
 Sample : N4362-06
 Misc : 5.98g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0FB7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
 Supervised By :Mahesh Dadoda 08/31/2022

Quant Time: Aug 30 00:25:37 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Aug 30 00:24:06 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	402563	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	390282	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	179553	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.337	65	209795	18.906	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	75.640%	
7) Chloroethane-d5	2.873	69	131108	15.769	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	63.080%	
11) 1,1-Dichloroethene-d2	4.001	63	153145	15.913	ug/L	-0.01
Spiked Amount 25.000	Range 45	- 110	Recovery	=	63.640%	
21) 2-Butanone-d5	7.074	46	60848	29.770	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	59.540%	
24) Chloroform-d	7.641	84	234151	18.092	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	72.360%	
26) 1,2-Dichloroethane-d4	8.299	65	131986	16.817	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	67.280%#	
32) Benzene-d6	8.268	84	452499	20.236	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	80.960%	
36) 1,2-Dichloropropane-d6	9.274	67	131465	18.904	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	75.600%	
41) Toluene-d8	10.323	98	420018	19.756	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	79.040%	
43) trans-1,3-Dichloroprop...	10.579	79	53313	16.382	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	65.520%	
47) 2-Hexanone-d5	10.920	63	47275	30.378	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	60.760%	
56) 1,1,2,2-Tetrachloroeth...	12.688	84	116859	14.842	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	59.360%	
66) 1,2-Dichlorobenzene-d4	13.853	152	131421	19.437	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	77.760%	
Target Compounds						
13) Acetone	4.129	43	6218	5.098	ug/L	80
20) cis-1,2-Dichloroethene	7.159	96	50288m	8.035	ug/L	
34) Trichloroethene	9.092	95	3400	0.531	ug/L #	64

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082922\
Data File : VW024457.D
Acq On : 29 Aug 2022 20:06
Operator : SY/VA
Sample : N4362-06
Misc : 5.98g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0FB7

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 08/30/2022
Supervised By :Mahesh Dadoda 08/31/2022

Quant Time: Aug 30 00:25:37 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082622SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Aug 30 00:24:06 2022
Response via : Initial Calibration

