

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082924\
 Data File : VW030094.D
 Acq On : 29 Aug 2024 12:57
 Operator : SY/MD
 Sample : P3673-23
 Misc : 5.00g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VHBLK001

Quant Time: Aug 29 21:32:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082624SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Aug 29 21:32:12 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	158810	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	150414	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	66853	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	58713	24.844	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	99.360%
7) Chloroethane-d5	2.905	69	42997	25.634	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	102.520%
11) 1,1-Dichloroethene-d2	4.021	65	25261	25.018	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	100.080%
21) 2-Butanone-d5	7.075	46	23132	49.102	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.200%
24) Chloroform-d	7.648	84	111870	26.122	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	104.480%
26) 1,2-Dichloroethane-d4	8.301	65	59389	27.310	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	109.240%
32) Benzene-d6	8.276	84	217041	24.446	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	97.800%
36) 1,2-Dichloropropane-d6	9.270	67	68855	26.470	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	105.880%
41) Toluene-d8	10.319	98	190326	23.552	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	94.200%
43) trans-1,3-Dichloroprop...	10.575	79	24831	23.206	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.840%
47) 2-Hexanone-d5	10.922	63	17915	45.000	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	90.000%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	47230	24.661	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	98.640%
66) 1,2-Dichlorobenzene-d4	13.849	152	60638	25.077	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.320%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW082924\
Data File : VW030094.D
Acq On : 29 Aug 2024 12:57
Operator : SY/MD
Sample : P3673-23
Misc : 5.00g/10mL/MSVOA_W/SOIL/A
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VHBLK001

Quant Time: Aug 29 21:32:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM082624SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Aug 29 21:32:12 2024
Response via : Initial Calibration

