

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090719\
 Data File : VW012742.D
 Acq On : 08 Sep 2019 01:56
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 08 05:56:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
 Quant Title : SW846 8260
 QLast Update : Sun Sep 08 05:04:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	87	0.00
2 T	Dichlorodifluoromethane	0.271	0.241	11.1	78	0.00
3 P	Chloromethane	0.329	0.282	14.3	75	0.00
4 C	Vinyl Chloride	0.404	0.349	13.6#	74	0.00
5 T	Bromomethane	0.219	0.217	0.9	81	0.00
6 T	Chloroethane	0.241	0.221	8.3	77	0.00
7 T	Trichlorofluoromethane	0.279	0.225	19.4	66	0.00
8 T	Diethyl Ether	0.234	0.226	3.4	81	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.437	0.384	12.1	72	0.00
10 T	Methyl Iodide	0.551	0.530	3.8	79	0.00
11 T	Tert butyl alcohol	0.043	0.048	-11.6	94	0.05
12 CM	1,1-Dichloroethene	0.413	0.366	11.4#	75	0.00
13 T	Acrolein	0.045	0.031	31.1#	65	0.00
14 T	Allyl chloride	0.854	0.815	4.6	79	0.00
15 T	Acrylonitrile	0.137	0.152	-10.9	91	0.00
16 T	Acetone	0.152	0.123	19.1	64	0.02
17 T	Carbon Disulfide	0.876	0.771	12.0	75	0.00
18 T	Methyl Acetate	0.357	0.401	-12.3	97	0.00
19 T	Methyl tert-butyl Ether	0.819	0.962	-17.5	94	0.00
20 T	Methylene Chloride	0.476	0.485	-1.9	89	0.00
21 T	trans-1,2-Dichloroethene	0.421	0.446	-5.9	87	0.00
22 T	Diisopropyl ether	1.694	1.932	-14.0	91	0.00
23 T	Vinyl Acetate	1.074	1.204	-12.1	89	0.00
24 P	1,1-Dichloroethane	0.912	1.009	-10.6	90	0.00
25 T	2-Butanone	0.201	0.206	-2.5	83	0.00
26 T	2,2-Dichloropropane	0.576	0.533	7.5	74	0.00
27 T	cis-1,2-Dichloroethene	0.489	0.540	-10.4	89	0.00
28 T	Bromochloromethane	0.419	0.495	-18.1	98	0.00
29 T	Tetrahydrofuran	0.123	0.134	-8.9	90	0.00
30 C	Chloroform	0.904	1.024	-13.3#	94	0.00
31 T	Cyclohexane	0.821	0.742	9.6	80	0.00
32 T	1,1,1-Trichloroethane	0.733	0.790	-7.8	88	0.00
33 S	1,2-Dichloroethane-d4	0.559	0.661	-18.2	100	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	89	0.00
35 S	Dibromofluoromethane	0.297	0.320	-7.7	95	0.00
36 T	1,1-Dichloropropene	0.444	0.452	-1.8	85	0.00
37 T	Ethyl Acetate	0.283	0.292	-3.2	88	0.00
38 T	Carbon Tetrachloride	0.438	0.457	-4.3	87	0.00
39 T	Methylcyclohexane	0.499	0.468	6.2	80	0.00
40 TM	Benzene	1.233	1.317	-6.8	89	0.00
41 T	Methacrylonitrile	0.171	0.186	-8.8	89	0.00
42 TM	1,2-Dichloroethane	0.434	0.489	-12.7	96	0.00
43 T	Isopropyl Acetate	0.537	0.603	-12.3	94	0.00
44 TM	Trichloroethene	0.318	0.327	-2.8	88	0.00
45 C	1,2-Dichloropropane	0.342	0.367	-7.3#	94	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090719\
 Data File : VW012742.D
 Acq On : 08 Sep 2019 01:56
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 08 05:56:03 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
 Quant Title : SW846 8260
 QLast Update : Sun Sep 08 05:04:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.162	0.183	-13.0	98	0.00
47 T	Bromodichloromethane	0.445	0.502	-12.8	94	0.00
48 T	Methyl methacrylate	0.256	0.284	-10.9	96	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	99	0.02
50 S	Toluene-d8	1.165	1.249	-7.2	91	0.00
51 T	4-Methyl-2-Pentanone	0.282	0.328	-16.3	97	0.00
52 CM	Toluene	0.769	0.828	-7.7#	90	0.00
53 T	t-1,3-Dichloropropene	0.458	0.509	-11.1	93	0.00
54 T	cis-1,3-Dichloropropene	0.520	0.560	-7.7	89	0.00
55 T	1,1,2-Trichloroethane	0.242	0.268	-10.7	93	0.00
56 T	Ethyl methacrylate	0.355	0.411	-15.8	98	0.00
57 T	1,3-Dichloropropane	0.448	0.491	-9.6	93	0.00
58 T	2-Chloroethyl Vinyl ether	0.188	0.207	-10.1	94	0.00
59 T	2-Hexanone	0.206	0.222	-7.8	91	0.00
60 T	Dibromochloromethane	0.285	0.319	-11.9	94	0.00
61 T	1,2-Dibromoethane	0.222	0.248	-11.7	94	0.00
62 S	4-Bromofluorobenzene	0.423	0.457	-8.0	96	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.303	0.327	-7.9	97	0.00
65 PM	Chlorobenzene	0.945	0.985	-4.2	93	0.00
66 T	1,1,1,2-Tetrachloroethane	0.352	0.389	-10.5	96	0.00
67 C	Ethyl Benzene	1.773	1.830	-3.2#	90	0.00
68 T	m/p-Xylenes	0.640	0.660	-3.1	93	0.00
69 T	o-Xylene	0.604	0.649	-7.5	93	0.00
70 T	Styrene	1.067	1.159	-8.6	93	0.00
71 P	Bromoform	0.196	0.217	-10.7	96	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	90	0.00
73 T	Isopropylbenzene	3.586	3.672	-2.4	87	0.00
74 T	N-amyl acetate	1.138	1.133	0.4	84	0.00
75 P	1,1,2,2-Tetrachloroethane	0.720	0.792	-10.0	98	0.00
76 T	1,2,3-Trichloropropane	0.511	0.535	-4.7	97	0.00
77 T	Bromobenzene	0.812	0.885	-9.0	95	0.00
78 T	n-propylbenzene	4.289	4.485	-4.6	89	0.00
79 T	2-Chlorotoluene	2.462	2.611	-6.1	91	0.00
80 T	1,3,5-Trimethylbenzene	3.022	3.250	-7.5	90	0.00
81 T	trans-1,4-Dichloro-2-butene	0.242	0.241	0.4	85	0.00
82 T	4-Chlorotoluene	2.604	2.788	-7.1	93	0.00
83 T	tert-Butylbenzene	2.672	2.683	-0.4	86	0.00
84 T	1,2,4-Trimethylbenzene	3.045	3.218	-5.7	92	0.00
85 T	sec-Butylbenzene	3.708	3.791	-2.2	87	0.00
86 T	p-Isopropyltoluene	3.387	3.459	-2.1	86	0.00
87 T	1,3-Dichlorobenzene	1.597	1.701	-6.5	93	0.00
88 T	1,4-Dichlorobenzene	1.589	1.659	-4.4	91	0.00
89 T	n-Butylbenzene	3.288	3.333	-1.4	86	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090719\
Data File : VW012742.D
Acq On : 08 Sep 2019 01:56
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 38 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Sep 08 05:56:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
Quant Title : SW846 8260
QLast Update : Sun Sep 08 05:04:40 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.591	0.640	-8.3	92	0.00
91 T	1,2-Dichlorobenzene	1.437	1.563	-8.8	96	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.132	0.150	-13.6	105	0.00
93 T	1,2,4-Trichlorobenzene	1.001	1.130	-12.9	94	0.00
94 T	Hexachlorobutadiene	0.693	0.708	-2.2	86	0.00
95 T	Naphthalene	1.863	2.229	-19.6	98	0.00
96 T	1,2,3-Trichlorobenzene	0.883	1.023	-15.9	95	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6