

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090719\
 Data File : VW012759.D
 Acq On : 08 Sep 2019 10:07
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 09 04:46:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
 Quant Title : SW846 8260
 QLast Update : Sun Sep 08 05:04:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
1 I	Pentafluorobenzene	1.000	1.000	0.0	93	0.00
2 T	Dichlorodifluoromethane	0.271	0.248	8.5	86	0.00
3 P	Chloromethane	0.329	0.280	14.9	80	0.00
4 C	Vinyl Chloride	0.404	0.345	14.6#	79	0.00
5 T	Bromomethane	0.219	0.201	8.2	81	0.00
6 T	Chloroethane	0.241	0.212	12.0	79	0.00
7 T	Trichlorofluoromethane	0.279	0.226	19.0	71	0.00
8 T	Diethyl Ether	0.234	0.205	12.4	79	0.00
9 T	1,1,2-Trichlorotrifluoroeth	0.437	0.360	17.6	73	0.00
10 T	Methyl Iodide	0.551	0.480	12.9	77	0.00
11 T	Tert butyl alcohol	0.043	0.042	2.3	88	0.03
12 CM	1,1-Dichloroethene	0.413	0.340	17.7#	75	0.00
13 T	Acrolein	0.045	0.016	64.4#	36#	0.00
14 T	Allyl chloride	0.854	0.686	19.7	71	0.00
15 T	Acrylonitrile	0.137	0.117	14.6	75	0.00
16 T	Acetone	0.152	0.097	36.2#	54	0.02
17 T	Carbon Disulfide	0.876	0.688	21.5#	72	0.00
18 T	Methyl Acetate	0.357	0.336	5.9	87	0.00
19 T	Methyl tert-butyl Ether	0.819	0.769	6.1	80	0.00
20 T	Methylene Chloride	0.476	0.403	15.3	79	0.00
21 T	trans-1,2-Dichloroethene	0.421	0.375	10.9	79	0.00
22 T	Diisopropyl ether	1.694	1.755	-3.6	89	0.00
23 T	Vinyl Acetate	1.074	0.959	10.7	76	0.00
24 P	1,1-Dichloroethane	0.912	0.881	3.4	84	0.00
25 T	2-Butanone	0.201	0.194	3.5	84	0.00
26 T	2,2-Dichloropropane	0.576	0.460	20.1#	69	0.00
27 T	cis-1,2-Dichloroethene	0.489	0.503	-2.9	89	0.00
28 T	Bromochloromethane	0.419	0.463	-10.5	98	0.00
29 T	Tetrahydrofuran	0.123	0.120	2.4	86	0.00
30 C	Chloroform	0.904	0.928	-2.7#	91	0.00
31 T	Cyclohexane	0.821	0.711	13.4	83	0.00
32 T	1,1,1-Trichloroethane	0.733	0.739	-0.8	88	0.00
33 S	1,2-Dichloroethane-d4	0.559	0.641	-14.7	104	0.00
34 I	1,4-Difluorobenzene	1.000	1.000	0.0	96	0.00
35 S	Dibromofluoromethane	0.297	0.318	-7.1	102	0.00
36 T	1,1-Dichloropropene	0.444	0.396	10.8	81	0.00
37 T	Ethyl Acetate	0.283	0.248	12.4	81	0.00
38 T	Carbon Tetrachloride	0.438	0.418	4.6	86	0.00
39 T	Methylcyclohexane	0.499	0.438	12.2	81	0.00
40 TM	Benzene	1.233	1.214	1.5	89	0.00
41 T	Methacrylonitrile	0.171	0.170	0.6	88	0.00
42 TM	1,2-Dichloroethane	0.434	0.438	-0.9	93	0.00
43 T	Isopropyl Acetate	0.537	0.539	-0.4	91	0.00
44 TM	Trichloroethene	0.318	0.289	9.1	84	0.00
45 C	1,2-Dichloropropane	0.342	0.334	2.3#	92	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090719\
 Data File : VW012759.D
 Acq On : 08 Sep 2019 10:07
 Operator : SY/VA
 Sample : VSTDCCC050
 Misc : 5.00G/5ML/MSVOA W/SOIL
 ALS Vial : 57 Sample Multiplier: 1

Instrument :
 MSVOA_W
 LabSampleId :
 VSTDCCC050

Quant Time: Sep 09 04:46:33 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
 Quant Title : SW846 8260
 QLast Update : Sun Sep 08 05:04:40 2019
 Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
 Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvqRF	CCRF	%Dev	Area%	Dev(min)
46 T	Dibromomethane	0.162	0.158	2.5	91	0.00
47 T	Bromodichloromethane	0.445	0.454	-2.0	91	0.00
48 T	Methyl methacrylate	0.256	0.251	2.0	92	0.00
49 T	1,4-Dioxane	0.003	0.003	0.0	106	0.02
50 S	Toluene-d8	1.165	1.251	-7.4	99	0.00
51 T	4-Methyl-2-Pentanone	0.282	0.297	-5.3	95	0.00
52 CM	Toluene	0.769	0.756	1.7#	89	0.00
53 T	t-1,3-Dichloropropene	0.458	0.438	4.4	86	0.00
54 T	cis-1,3-Dichloropropene	0.520	0.504	3.1	86	0.00
55 T	1,1,2-Trichloroethane	0.242	0.257	-6.2	97	0.00
56 T	Ethyl methacrylate	0.355	0.373	-5.1	96	0.00
57 T	1,3-Dichloropropane	0.448	0.449	-0.2	93	0.00
58 T	2-Chloroethyl Vinyl ether	0.188	0.184	2.1	90	0.00
59 T	2-Hexanone	0.206	0.207	-0.5	92	0.00
60 T	Dibromochloromethane	0.285	0.303	-6.3	97	0.00
61 T	1,2-Dibromoethane	0.222	0.232	-4.5	94	0.00
62 S	4-Bromofluorobenzene	0.423	0.394	6.9	89	0.00
63 I	Chlorobenzene-d5	1.000	1.000	0.0	92	0.00
64 T	Tetrachloroethene	0.303	0.360	-18.8	106	0.00
65 PM	Chlorobenzene	0.945	0.978	-3.5	92	0.00
66 T	1,1,1,2-Tetrachloroethane	0.352	0.394	-11.9	96	0.00
67 C	Ethyl Benzene	1.773	1.812	-2.2#	88	0.00
68 T	m/p-Xylenes	0.640	0.656	-2.5	92	0.00
69 T	o-Xylene	0.604	0.570	5.6	81	0.00
70 T	Styrene	1.067	1.056	1.0	84	0.00
71 P	Bromoform	0.196	0.214	-9.2	95	0.00
72 I	1,4-Dichlorobenzene-d4	1.000	1.000	0.0	91	0.00
73 T	Isopropylbenzene	3.586	3.305	7.8	80	0.00
74 T	N-amyl acetate	1.138	1.076	5.4	81	0.00
75 P	1,1,2,2-Tetrachloroethane	0.720	0.722	-0.3	91	0.00
76 T	1,2,3-Trichloropropane	0.511	0.605	-18.4	112	0.00
77 T	Bromobenzene	0.812	0.815	-0.4	89	0.00
78 T	n-propylbenzene	4.289	3.993	6.9	81	0.00
79 T	2-Chlorotoluene	2.462	2.384	3.2	84	0.00
80 T	1,3,5-Trimethylbenzene	3.022	2.891	4.3	82	0.00
81 T	trans-1,4-Dichloro-2-butene	0.242	0.209	13.6	75	0.00
82 T	4-Chlorotoluene	2.604	2.511	3.6	85	0.00
83 T	tert-Butylbenzene	2.672	2.645	1.0	86	0.00
84 T	1,2,4-Trimethylbenzene	3.045	3.028	0.6	88	0.00
85 T	sec-Butylbenzene	3.708	3.537	4.6	82	0.00
86 T	p-Isopropyltoluene	3.387	3.263	3.7	83	0.00
87 T	1,3-Dichlorobenzene	1.597	1.635	-2.4	91	0.00
88 T	1,4-Dichlorobenzene	1.589	1.630	-2.6	91	0.00
89 T	n-Butylbenzene	3.288	3.012	8.4	79	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA W\Data\VW090719\
Data File : VW012759.D
Acq On : 08 Sep 2019 10:07
Operator : SY/VA
Sample : VSTDCCC050
Misc : 5.00G/5ML/MSVOA W/SOIL
ALS Vial : 57 Sample Multiplier: 1

Instrument :
MSVOA_W
LabSampleId :
VSTDCCC050

Quant Time: Sep 09 04:46:33 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
Quant Title : SW846 8260
QLast Update : Sun Sep 08 05:04:40 2019
Response via : Initial Calibration

Min. RRF : 0.000 Min. Rel. Area : 50% Max. R.T. Dev 0.50min
Max. RRF Dev : 20% Max. Rel. Area : 150%

	Compound	AvgRF	CCRF	%Dev	Area%	Dev(min)
90 T	Hexachloroethane	0.591	0.611	-3.4	89	0.00
91 T	1,2-Dichlorobenzene	1.437	1.516	-5.5	95	0.00
92 T	1,2-Dibromo-3-Chloropropane	0.132	0.155	-17.4	110	0.00
93 T	1,2,4-Trichlorobenzene	1.001	1.024	-2.3	87	0.00
94 T	Hexachlorobutadiene	0.693	0.657	5.2	81	0.00
95 T	Naphthalene	1.863	2.150	-15.4	96	0.00
96 T	1,2,3-Trichlorobenzene	0.883	0.954	-8.0	90	0.00

(#) = Out of Range

SPCC's out = 0 CCC's out = 6