

Data Path : Z:\VOASRV\HPCHEM1\MSVOA W\DATA\VW090719\
 Data File : VW012735.D
 Acq On : 07 Sep 2019 22:03
 Operator : SY/VA
 Sample : K4554-40
 Misc : 4.91G/5ML/MSVOA W/SOIL
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 SB-8-(5-7)

Quant Time: Sep 08 05:45:31 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
 Quant Title : SW846 8260
 QLast Update : Sun Sep 08 05:04:40 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) Pentafluorobenzene	7.95	168	201254	50.00	ug/l	0.00
34) 1,4-Difluorobenzene	8.84	114	310396	50.00	ug/l	0.00
63) Chlorobenzene-d5	11.63	117	280989	50.00	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.56	152	126831	50.00	ug/l	0.00
System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.31	65	119622	53.20	ug/l	0.00
Spiked Amount 50.000			Recovery	=	106.40%	
35) Dibromofluoromethane	7.88	113	91705	49.69	ug/l	0.00
Spiked Amount 50.000			Recovery	=	99.38%	
50) Toluene-d8	10.32	98	369951	51.17	ug/l	0.00
Spiked Amount 50.000			Recovery	=	102.34%	
62) 4-Bromofluorobenzene	12.62	95	133685	50.93	ug/l	0.00
Spiked Amount 50.000			Recovery	=	101.86%	
Target Compounds						
20) Methylene Chloride	4.91	84	9284	4.841	ug/l	Qvalue 86


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA W\DATA\VW090719\
Data File : VW012735.D
Acq On : 07 Sep 2019 22:03
Operator : SY/VA
Sample : K4554-40
Misc : 4.91G/5ML/MSVOA W/SOIL
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
SB-8-(5-7)

Quant Time: Sep 08 05:45:31 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_W\METHOD\82W090719S.M
Quant Title : SW846 8260
QLast Update : Sun Sep 08 05:04:40 2019
Response via : Initial Calibration





#1

Pentafluorobenzene

Concen: 50.000 ug/l

RT: 7.95 min Scan# 991

Delta R.T. 0.00 min

Lab File: VW012735.D

Acq: 07 Sep 2019 22:03

Instrument :

MSVOA_W

ClientSampleId :


SB-8-(5-7)

Tot Ion:168 Resp: 201254

Ion Ratio Lower Upper




168 100

99 58.1 47.8 71.6



Abundance Ion 167.90 (167.60 to 168.60): V

Ion 98.90 (98.60 to 99.60): VW



#20

Methylene Chloride

Concen: 4.841 ug/l

RT: 4.91 min Scan# 493

Delta R.T. -0.01 min

Lab File: VW012735.D

Acq: 07 Sep 2019 22:03

Tgt Ion: 84 Resp: 9284


Ion Ratio Lower Upper

84 100

49 123.7 115.4 173.0

51 35.6 34.9 52.3

86 57.9 52.2 78.4






Abundance Ion 83.90 (83.60 to 84.60): VW

Ion 48.90 (48.60 to 49.60): VW

Ion 50.90 (50.60 to 51.60): VW

Ion 85.90 (85.60 to 86.60): VW









#33
 1,2-Dichloroethane-d4
 Concen: 53.197 ug/l
 RT: 8.31 min Scan# 1050
 Delta R.T. 0.00 min
 Lab File: VW012735.D
 Acq: 07 Sep 2019 22:03




Instrument :
 MSVOA_W
 ClientSampleId :
 SB-8-(5-7)

Tot Ion: 65 Resp: 119622
 Ion Ratio Lower Upper
 65 100
 67 50.1 0.0 101.8



#34
 1,4-Difluorobenzene
 Concen: 50.000 ug/l
 RT: 8.84 min Scan# 1138
 Delta R.T. 0.00 min
 Lab File: VW012735.D
 Acq: 07 Sep 2019 22:03

Tgt Ion: 114 Resp: 310396
 Ion Ratio Lower Upper
 114 100
 63 23.0 0.0 47.2
 88 16.5 0.0 34.0





#35

Dibromofluoromethane

Concen: 49.694 ug/l

RT: 7.88 min Scan# 980

Delta R.T. -0.01 min

Lab File: VW012735.D

Acq: 07 Sep 2019 22:03

Instrument :

MSVOA_W

ClientSampleId :

SB-8-(5-7)


Tot Ion:113 Resp: 91705

Ion Ratio Lower Upper

113 100

111 104.1 80.2 120.4




192 22.0 17.3 25.9



Abundance Ion 112.80 (112.50 to 113.50): V

Ion 110.80 (110.50 to 111.50): V

Ion 191.70 (191.40 to 192.40): V



#50

Toluene-d8

Concen: 51.170 ug/l

RT: 10.32 min Scan# 1381

Delta R.T. 0.00 min

Lab File: VW012735.D


Acq: 07 Sep 2019 22:03

Tgt Ion: 98 Resp: 369951

Ion Ratio Lower Upper



98 100


100 65.9 52.2 78.4



Abundance Ion 98.00 (97.70 to 98.70): VW

Ion 100.00 (99.70 to 100.70): VW





#62

4-Bromofluorobenzene

Concen: 50.935 ug/l

RT: 12.62 min Scan# 1757

Delta R.T. 0.00 min

Lab File: VW012735.D

Acq: 07 Sep 2019 22:03

Instrument :

MSVOA_W

ClientSampleId :

SB-8-(5-7)





Tot Ion: 95 Resp: 133685

Ion Ratio Lower Upper

95 100

174 81.0 0.0 161.0

176 77.6 0.0 156.4



#63

Chlorobenzene-d5

Concen: 50.000 ug/l

RT: 11.63 min Scan# 1595

Delta R.T. -0.01 min

Lab File: VW012735.D

Acq: 07 Sep 2019 22:03




Tgt Ion: 117 Resp: 280989




Ion Ratio Lower Upper

117 100

82 58.7 48.2 72.4

119 32.2 25.8 38.6





#72

1,4-Dichlorobenzene-d4

Concen: 50.000 ug/l

RT: 13.56 min Scan# 1912

Delta R.T. 0.00 min

Lab File: VW012735.D

Acq: 07 Sep 2019 22:03

Instrument :

MSVOA_W

ClientSampleId :

SB-8-(5-7)

Tot Ion:152 Resp: 126831

Ion Ratio Lower Upper

152 100

115 58.8 30.0 90.1

150 155.8 0.0 349.0

