

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090823\
 Data File : VW027023.D
 Acq On : 08 Sep 2023 14:17
 Operator : SY/MD
 Sample : 04332-05RE
 Misc : 1.79g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Sep 09 03:01:29 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	555829	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	481844	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	151354	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	141904	14.290	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	57.160%
7) Chloroethane-d5	2.893	69	145921	18.207	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.840%
11) 1,1-Dichloroethene-d2	4.027	65	55145	15.068	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.280%
21) 2-Butanone-d5	7.075	46	58443	30.544	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	61.080%
24) Chloroform-d	7.648	84	325221	19.663	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	78.640%
26) 1,2-Dichloroethane-d4	8.069	65	88	0.010	ug/L	-0.24
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.040%#
32) Benzene-d6	8.276	84	600265	18.993	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	75.960%
36) 1,2-Dichloropropane-d6	9.270	67	205116	22.107	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.440%
41) Toluene-d8	10.319	98	465772	16.278	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	65.120%
43) trans-1,3-Dichloroprop...	10.581	79	43144	11.982	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	47.920%
47) 2-Hexanone-d5	10.922	63	16997	19.622	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	39.240%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	158399	21.999	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.000%
66) 1,2-Dichlorobenzene-d4	13.849	152	107489	20.534	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	82.120%
Target Compounds						
13) Acetone	4.131	43	7236	4.319	ug/L	Qvalue 90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090823\
Data File : VW027023.D
Acq On : 08 Sep 2023 14:17
Operator : SY/MD
Sample : 04332-05RE
Misc : 1.79g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Sep 09 03:01:29 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 09 02:59:49 2023
Response via : Initial Calibration





#13

Acetone

Concen: 4.319 ug/L

RT: 4.131 min Scan# 3

Delta R.T. 0.012 min


Lab File: VW027023.D

Acq: 08 Sep 2023 14:17

Instrument :

MSVOA_W

ClientSampleId :



Tgt Ion: 43 Resp: 7236

Ion Ratio Lower Upper

43 100

58 27.3 0.0 66.4

