

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090922\
 Data File : VW024591.D
 Acq On : 09 Sep 2022 09:51
 Operator : SY/VA
 Sample : VW0909SBL01
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK400

Quant Time: Sep 10 00:39:15 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 10 00:38:15 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	282191	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	288119	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	124105	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.343	65	146682	25.177	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	100.720%
7) Chloroethane-d5	2.873	69	112460	25.960	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	103.840%
11) 1,1-Dichloroethene-d2	4.007	63	99579	16.200	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	64.800%
21) 2-Butanone-d5	7.074	46	39601	42.135	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	84.260%
24) Chloroform-d	7.641	84	163245	22.714	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	90.840%
26) 1,2-Dichloroethane-d4	8.201	65	113	0.028	ug/L	-0.10
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.120%#
32) Benzene-d6	8.275	84	326758	23.056	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	92.240%
36) 1,2-Dichloropropane-d6	9.274	67	92078	22.036	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	88.160%
41) Toluene-d8	10.323	98	321789	23.291	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	93.160%
43) trans-1,3-Dichloroprop...	10.579	79	39335	21.006	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	84.040%
47) 2-Hexanone-d5	10.927	63	32922	42.863	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	85.720%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	81679	20.394	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	81.560%
66) 1,2-Dichlorobenzene-d4	13.853	152	96821	24.631	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.520%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW090922\
Data File : VW024591.D
Acq On : 09 Sep 2022 09:51
Operator : SY/VA
Sample : VW0909SBL01
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK400

Quant Time: Sep 10 00:39:15 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090622SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 10 00:38:15 2022
Response via : Initial Calibration

