

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091123\
 Data File : VW027052.D
 Acq On : 12 Sep 2023 00:25
 Operator : SY/MD
 Sample : 04387-15
 Misc : 1.50g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COANO

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 09/12/2023
 Supervised By :Mahesh Dadoda 09/13/2023

Quant Time: Sep 12 01:17:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	634669	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	442677	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	108240	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	131315	11.581	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	46.320%
7) Chloroethane-d5	2.893	69	146429	16.001	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.000%
11) 1,1-Dichloroethene-d2	4.027	65	47386m	11.340	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	45.360%
21) 2-Butanone-d5	7.081	46	30973	14.177	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	28.360%
24) Chloroform-d	7.648	84	390978	20.702	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.800%
26) 1,2-Dichloroethane-d4	8.307	65	192535	19.396	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	77.600%
32) Benzene-d6	8.276	84	628100	21.632	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.520%
36) 1,2-Dichloropropane-d6	9.276	67	226451	26.565	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.280%
41) Toluene-d8	10.319	98	446649	16.990	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	67.960%
43) trans-1,3-Dichloroprop...	10.581	79	20459	6.185	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	24.720%#
47) 2-Hexanone-d5	10.928	63	2104	2.644	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	5.280%#
56) 1,1,2,2-Tetrachloroeth...	12.690	84	143785	21.736	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.960%
66) 1,2-Dichlorobenzene-d4	13.848	152	76309	20.384	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.520%
Target Compounds						Qvalue
13) Acetone	4.118	43	35269	18.437	ug/L	91
15) Methyl Acetate	4.679	43	12139	3.052	ug/L #	88
16) Methylene chloride	4.923	84	21663	1.762	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091123\
Data File : VW027052.D
Acq On : 12 Sep 2023 00:25
Operator : SY/MD
Sample : 04387-15
Misc : 1.50g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
COANO

Quant Time: Sep 12 01:17:46 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 09 02:59:49 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 09/12/2023
Supervised By :Mahesh Dadoda 09/13/2023





#13
Acetone
Concen: 18.437 ug/L
RT: 4.118 min Scan# 366
Delta R.T. -0.000 min
Lab File: VW027052.D
Acq: 12 Sep 2023 00:25




Instrument :
MSVOA_W
ClientSampleId :
COANO



Tgt Ion: 43 Resp: 35269
Ion Ratio Lower Upper
43 100
58 38.3 0.0 66.4




Manual Integrations
APPROVED


Reviewed By :Semsettin Yesilyurt 09/12/2023
Supervised By :Mahesh Dadoda 09/13/2023



#15
Methyl Acetate
Concen: 3.052 ug/L
RT: 4.679 min Scan# 458
Delta R.T. 0.006 min
Lab File: VW027052.D
Acq: 12 Sep 2023 00:25

Tgt Ion: 43 Resp: 12139
Ion Ratio Lower Upper
43 100
74 28.5 0.1 0.1#








#16
Methylene chloride
Concen: 1.762 ug/L
RT: 4.923 min Scan# 49
Delta R.T. -0.000 min
Lab File: VW027052.D
Acq: 12 Sep 2023 00:25

Instrument :
MSVOA_W
ClientSampleId :
COANO

Tgt Ion: 84 Resp: 2166
Ion Ratio Lower Upper
84 100
86 52.9 44.1 81.9
49 103.2 82.1 152.5

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 09/12/2023
Supervised By :Mahesh Dadoda 09/13/2023






Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091123\
 Data File : VW027052.D
 Acq On : 12 Sep 2023 00:25
 Operator : SY/MD
 Sample : 04387-15
 Misc : 1.50g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COANO

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 09/12/2023
 Supervised By :Mahesh Dadoda 09/13/2023

Quant Time: Sep 12 01:17:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration



TIC: VW027052.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.216min (+ 0.195) 0.02 ug/L

response 99

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	145.70	115.15
102.00	14.10	18.18
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091123\
 Data File : VW027052.D
 Acq On : 12 Sep 2023 00:25
 Operator : SY/MD
 Sample : 04387-15
 Misc : 1.50g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COANO

Manual Integrations APPROVED

Reviewed By :Semsettin Yesilyurt 09/12/2023
 Supervised By :Mahesh Dadoda 09/13/2023

Quant Time: Sep 12 01:17:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration



TIC: VW027052.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.027min (+ 0.006) 11.34 ug/L m

response 47386

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	145.70	0.24#
102.00	14.10	0.04#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091123\
 Data File : VW027052.D
 Acq On : 12 Sep 2023 00:25
 Operator : SY/MD
 Sample : 04387-15
 Misc : 1.50g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COANO

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 09/12/2023
 Supervised By :Mahesh Dadoda 09/13/2023

Quant Time: Sep 12 01:17:46 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	634669	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	442677	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	108240	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	131315	11.581	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	46.320%
7) Chloroethane-d5	2.893	69	146429	16.001	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	64.000%
11) 1,1-Dichloroethene-d2	4.027	65	47386m	11.340	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	45.360%
21) 2-Butanone-d5	7.081	46	30973	14.177	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	28.360%
24) Chloroform-d	7.648	84	390978	20.702	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.800%
26) 1,2-Dichloroethane-d4	8.307	65	192535	19.396	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	77.600%
32) Benzene-d6	8.276	84	628100	21.632	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	86.520%
36) 1,2-Dichloropropane-d6	9.276	67	226451	26.565	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	106.280%
41) Toluene-d8	10.319	98	446649	16.990	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	67.960%
43) trans-1,3-Dichloroprop...	10.581	79	20459	6.185	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	24.720%#
47) 2-Hexanone-d5	10.928	63	2104	2.644	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	5.280%#
56) 1,1,2,2-Tetrachloroeth...	12.690	84	143785	21.736	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	86.960%
66) 1,2-Dichlorobenzene-d4	13.848	152	76309	20.384	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	81.520%
Target Compounds						Qvalue
13) Acetone	4.118	43	35269	18.437	ug/L	91
15) Methyl Acetate	4.679	43	12139	3.052	ug/L #	88
16) Methylene chloride	4.923	84	21663	1.762	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091123\
Data File : VW027052.D
Acq On : 12 Sep 2023 00:25
Operator : SY/MD
Sample : 04387-15
Misc : 1.50g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
COANO

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 09/12/2023
Supervised By : Mahesh Dadoda 09/13/2023

Quant Time: Sep 12 01:17:46 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 09 02:59:49 2023
Response via : Initial Calibration

