

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091223\
 Data File : VW027077.D
 Acq On : 12 Sep 2023 18:43
 Operator : SY/MD
 Sample : 04330-10
 Misc : 6.03g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EZYF6

Quant Time: Sep 13 03:10:07 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	608638	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	334748	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	66541	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	150348	13.827	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	55.320%	
7) Chloroethane-d5	2.899	69	151317	17.242	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	68.960%	
11) 1,1-Dichloroethene-d2	4.027	65	57932	14.456	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	57.840%	
21) 2-Butanone-d5	7.075	46	119939	57.245	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	114.500%	
24) Chloroform-d	7.648	84	365616	20.187	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	80.760%	
26) 1,2-Dichloroethane-d4	8.307	65	213152	22.391	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	89.560%	
32) Benzene-d6	8.276	84	658636	29.997	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	120.000%	
36) 1,2-Dichloropropane-d6	9.276	67	217447	33.734	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	134.920%#	
41) Toluene-d8	10.325	98	372967	18.762	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	75.040%	
43) trans-1,3-Dichloroprop...	10.575	79	63480	25.377	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	101.520%	
47) 2-Hexanone-d5	10.922	63	60323	100.239	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	200.480%#	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	126312	25.251	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	101.000%	
66) 1,2-Dichlorobenzene-d4	13.855	152	45938	19.961	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	79.840%	
Target Compounds						
					Qvalue	
13) Acetone	4.125	43	11552	6.297	ug/L	79
14) Carbon disulfide	4.393	76	60868	2.207	ug/L	97
16) Methylene chloride	4.917	84	37017	3.139	ug/L	90

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091223\
Data File : VW027077.D
Acq On : 12 Sep 2023 18:43
Operator : SY/MD
Sample : 04330-10
Misc : 6.03g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EZYF6

Quant Time: Sep 13 03:10:07 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 09 02:59:49 2023
Response via : Initial Calibration

