




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091223\
 Data File : VW027058.D
 Acq On : 12 Sep 2023 11:05
 Operator : SY/MD
 Sample : 04332-15RE
 Misc : 5.26g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC2RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 09/13/2023
 Supervised By :Mahesh Dadoda 09/13/2023

Quant Time: Sep 13 03:07:01 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration



TIC: VW027058.D\data.ms

(11) 1,1-Dichloroethene-d2 (S)

4.015min (-0.006) 14.64 ug/L m

response 64093

Ion	Exp%	Act%
65.00	100.00	100.00
100.00	145.70	0.37#
102.00	14.10	0.05#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091223\
 Data File : VW027058.D
 Acq On : 12 Sep 2023 11:05
 Operator : SY/MD
 Sample : 04332-15RE
 Misc : 5.26g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0AC2RE

Manual IntegrationsAPPROVED

Quant Time: Sep 13 03:07:01 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Sep 09 02:59:49 2023
 Response via : Initial Calibration

Reviewed By :Semsettin Yesilyurt 09/13/2023
 Supervised By :Mahesh Dadoda 09/13/2023

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	664819	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	486553	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	129116	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	149147	12.557	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	50.240%	
7) Chloroethane-d5	2.899	69	152492	15.908	ug/L	0.00
Spiked Amount	25.000	Range 30 - 150	Recovery	=	63.640%	
11) 1,1-Dichloroethene-d2	4.015	65	64093m	14.642	ug/L	0.00
Spiked Amount	25.000	Range 45 - 110	Recovery	=	58.560%	
21) 2-Butanone-d5	7.075	46	61647	26.937	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	53.880%	
24) Chloroform-d	7.648	84	400908	20.265	ug/L	0.00
Spiked Amount	25.000	Range 40 - 150	Recovery	=	81.080%	
26) 1,2-Dichloroethane-d4	8.307	65	206665	19.875	ug/L	0.00
Spiked Amount	25.000	Range 70 - 130	Recovery	=	79.520%	
32) Benzene-d6	8.276	84	694245	21.754	ug/L	0.00
Spiked Amount	25.000	Range 20 - 135	Recovery	=	87.000%	
36) 1,2-Dichloropropane-d6	9.276	67	236924	25.288	ug/L	0.00
Spiked Amount	25.000	Range 70 - 120	Recovery	=	101.160%	
41) Toluene-d8	10.325	98	506784	17.539	ug/L	0.00
Spiked Amount	25.000	Range 30 - 130	Recovery	=	70.160%	
43) trans-1,3-Dichloroprop...	10.581	79	45605	12.543	ug/L	0.00
Spiked Amount	25.000	Range 30 - 135	Recovery	=	50.160%	
47) 2-Hexanone-d5	10.922	63	11668	13.339	ug/L	0.00
Spiked Amount	50.000	Range 20 - 135	Recovery	=	26.680%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	162058	22.289	ug/L	0.00
Spiked Amount	25.000	Range 45 - 120	Recovery	=	89.160%	
66) 1,2-Dichlorobenzene-d4	13.848	152	92901	20.804	ug/L	0.00
Spiked Amount	25.000	Range 75 - 120	Recovery	=	83.200%	
Target Compounds						
13) Acetone	4.125	43	9891	4.936	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW091223\
Data File : VW027058.D
Acq On : 12 Sep 2023 11:05
Operator : SY/MD
Sample : 04332-15RE
Misc : 5.26g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0AC2RE

Manual IntegrationsAPPROVED

Reviewed By :Semsettin Yesilyurt 09/13/2023
Supervised By :Mahesh Dadoda 09/13/2023

Quant Time: Sep 13 03:07:01 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM090523SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Sep 09 02:59:49 2023
Response via : Initial Calibration

