

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092024\
 Data File : VW030187.D
 Acq On : 20 Sep 2024 20:02
 Operator : SY/MD
 Sample : P4109-23
 Misc : 5.38g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EX1

Quant Time: Sep 20 23:57:51 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091624SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Sep 20 23:43:18 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.837	114	480579	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	277433	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	63793	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	108342	17.457	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.840%
7) Chloroethane-d5	2.899	69	92132	21.027	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.120%
11) 1,1-Dichloroethene-d2	4.021	65	47706	15.384	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	61.520%
21) 2-Butanone-d5	7.081	46	19857	13.214	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	26.420%
24) Chloroform-d	7.648	84	242898	18.382	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	73.520%
26) 1,2-Dichloroethane-d4	8.307	65	141227	21.283	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.120%
32) Benzene-d6	8.276	84	447146	27.977	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	111.920%
36) 1,2-Dichloropropane-d6	9.270	67	146209	29.629	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	118.520%
41) Toluene-d8	10.319	98	313518	21.890	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	87.560%
43) trans-1,3-Dichloroprop...	10.575	79	14261	7.213	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	28.840%#
47) 2-Hexanone-d5	10.922	63	6326	8.378	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	16.760%#
56) 1,1,2,2-Tetrachloroeth...	12.690	84	81290	22.127	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	88.520%
66) 1,2-Dichlorobenzene-d4	13.855	152	38616	17.832	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	71.320%#

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092024\
Data File : VW030187.D
Acq On : 20 Sep 2024 20:02
Operator : SY/MD
Sample : P4109-23
Misc : 5.38g/10mL/MSVOA_W/SOIL/A
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4EX1

Quant Time: Sep 20 23:57:51 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM091624SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Sep 20 23:43:18 2024
Response via : Initial Calibration

