

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_W\Data\VW092424\  
 Data File : VW030225.D  
 Acq On : 24 Sep 2024 15:39  
 Operator : SY/MD  
 Sample : VIBLK  
 Misc : 5.00g/10mL/MSVOA\_W/SOIL  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_W  
 ClientSampleId :

Quant Time: Sep 25 01:21:47 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_W\Method\SFAMWLM091624SMA.M  
 Quant Title : SFAM01.0  
 QLast Update : Wed Sep 25 01:17:29 2024  
 Response via : Initial Calibration


| Compound                      | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|--------|----------|
| -----                         |        |       |          |          |        |          |
| Internal Standards            |        |       |          |          |        |          |
| 1) 1,4-Difluorobenzene        | 8.843  | 114   | 256167   | 25.000   | ug/L   | 0.00     |
| 28) Chlorobenzene-d5          | 11.629 | 117   | 239719   | 25.000   | ug/L   | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 13.556 | 152   | 107378   | 25.000   | ug/L   | 0.00     |
|                               |        |       |          |          |        |          |
| System Monitoring Compounds   |        |       |          |          |        |          |
| 4) Vinyl Chloride-d3          | 2.363  | 65    | 68660    | 20.755   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 150 | Recovery | =      | 83.000%  |
| 7) Chloroethane-d5            | 2.899  | 69    | 59396    | 25.432   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 150 | Recovery | =      | 101.720% |
| 11) 1,1-Dichloroethene-d2     | 4.027  | 65    | 29133    | 17.625   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 45 - 110 | Recovery | =      | 70.520%  |
| 21) 2-Butanone-d5             | 7.081  | 46    | 34304    | 42.824   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000 | Range | 20 - 135 | Recovery | =      | 85.640%  |
| 24) Chloroform-d              | 7.648  | 84    | 140832   | 19.995   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 40 - 150 | Recovery | =      | 79.960%  |
| 26) 1,2-Dichloroethane-d4     | 8.307  | 65    | 76652    | 21.672   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 70 - 130 | Recovery | =      | 86.680%  |
| 32) Benzene-d6                | 8.276  | 84    | 271003   | 19.624   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 20 - 135 | Recovery | =      | 78.480%  |
| 36) 1,2-Dichloropropane-d6    | 9.276  | 67    | 82910    | 19.445   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 70 - 120 | Recovery | =      | 77.760%  |
| 41) Toluene-d8                | 10.325 | 98    | 247131   | 19.969   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 130 | Recovery | =      | 79.880%  |
| 43) trans-1,3-Dichloroprop... | 10.575 | 79    | 31686    | 18.549   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 30 - 135 | Recovery | =      | 74.200%  |
| 47) 2-Hexanone-d5             | 10.922 | 63    | 27535    | 42.202   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000 | Range | 20 - 135 | Recovery | =      | 84.400%  |
| 56) 1,1,2,2-Tetrachloroeth... | 12.690 | 84    | 66490    | 20.946   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 45 - 120 | Recovery | =      | 83.800%  |
| 66) 1,2-Dichlorobenzene-d4    | 13.849 | 152   | 83590    | 22.932   | ug/L   | 0.00     |
| Spiked Amount                 | 25.000 | Range | 75 - 120 | Recovery | =      | 91.720%  |
|                               |        |       |          |          |        |          |
| Target Compounds              |        |       |          |          |        | Qvalue   |
| 39) cis-1,3-Dichloropropene   | 10.038 | 75    | 2416     | 0.416    | ug/L # | 63       |
| 71) Naphthalene               | 15.360 | 128   | 8275     | 1.150    | ug/L   | 99       |
| -----                         |        |       |          |          |        |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_W\Data\VW092424\  
Data File : VW030225.D  
Acq On : 24 Sep 2024 15:39  
Operator : SY/MD  
Sample : VIBLK  
Misc : 5.00g/10mL/MSVOA\_W/SOIL  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_W  
ClientSampleId :

Quant Time: Sep 25 01:21:47 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_W\Method\SFAMWLM091624SMA.M  
Quant Title : SFAM01.0  
QLast Update : Wed Sep 25 01:17:29 2024  
Response via : Initial Calibration





#39

cis-1,3-Dichloropropene

Concen: 0.416 ug/L

RT: 10.038 min Scan# 11

Delta R.T. -0.030 min

Lab File: VW030225.D

Acq: 24 Sep 2024 15:39

Instrument :

MSVOA\_W





ClientSampleId :

Tgt Ion: 75 Resp: 2416

Ion Ratio Lower Upper

75 100

77 49.5 20.7 38.5#



#71

Naphthalene

Concen: 1.150 ug/L

RT: 15.360 min Scan# 2210

Delta R.T. 0.006 min

Lab File: VW030225.D

Acq: 24 Sep 2024 15:39

Tgt Ion:128 Resp: 8275

Ion Ratio Lower Upper

128 100

127 13.1 10.1 15.1

129 10.6 8.4 12.6

