

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092425\
 Data File : VW032246.D
 Acq On : 24 Sep 2025 16:08
 Operator : SY/MD
 Sample : Q3176-02
 Misc : 5.05g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EME-TS13-01

Quant Time: Sep 25 08:14:46 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W082625S.M
 Quant Title : SW846 8260
 QLast Update : Wed Aug 27 04:13:40 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	149631	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.855	114	293361	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.635	117	295825	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	140662	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	142320	66.507	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	133.020%
35) Dibromofluoromethane	7.898	113	117153	56.920	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	113.840%
50) Toluene-d8	10.331	98	394158	54.552	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	109.100%
62) 4-Bromofluorobenzene	12.617	95	122884	45.993	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	91.980%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092425\
Data File : VW032246.D
Acq On : 24 Sep 2025 16:08
Operator : SY/MD
Sample : Q3176-02
Misc : 5.05g/5mL/MSVOA_W/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EME-TS13-01

Quant Time: Sep 25 08:14:46 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W082625S.M
Quant Title : SW846 8260
QLast Update : Wed Aug 27 04:13:40 2025
Response via : Initial Calibration

