

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092624\
 Data File : VW030262.D
 Acq On : 26 Sep 2024 16:31
 Operator : SY/MD
 Sample : P4183-03
 Misc : 5.12g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EK8

Quant Time: Sep 27 04:40:38 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092624SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Sep 27 04:39:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	390036	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	316144	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	106566	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	94623	17.980	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.920%		
7) Chloroethane-d5	2.899	69	69329	17.873	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.480%		
11) 1,1-Dichloroethene-d2	4.021	65	51836	19.884	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	79.520%		
21) 2-Butanone-d5	7.075	46	49472	39.258	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	78.520%		
24) Chloroform-d	7.648	84	222025	19.225	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	76.880%		
26) 1,2-Dichloroethane-d4	8.301	65	119083	20.216	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	80.880%		
32) Benzene-d6	8.276	84	444109	22.238	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	88.960%		
36) 1,2-Dichloropropane-d6	9.270	67	136513	22.079	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	88.320%		
41) Toluene-d8	10.325	98	396764	22.355	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	89.440%		
43) trans-1,3-Dichloroprop...	10.575	79	49185	20.988	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	83.960%		
47) 2-Hexanone-d5	10.922	63	40681	47.004	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	94.000%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	80843	19.142	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	76.560%		
66) 1,2-Dichlorobenzene-d4	13.848	152	77364	20.861	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	83.440%		
Target Compounds					Qvalue	
13) Acetone	4.118	43	7491	4.170	ug/L	67


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW092624\
Data File : VW030262.D
Acq On : 26 Sep 2024 16:31
Operator : SY/MD
Sample : P4183-03
Misc : 5.12g/10mL/MSVOA_W/SOIL/A
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4EK8

Quant Time: Sep 27 04:40:38 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092624SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Sep 27 04:39:02 2024
Response via : Initial Calibration





#13
 Acetone
 Concen: 4.170 ug/L
 RT: 4.118 min Scan# 30
 Delta R.T. -0.006 min
 Lab File: VW030262.D
 Acq: 26 Sep 2024 16:31

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EK8

Tgt Ion: 43 Resp: 7491
 Ion Ratio Lower Upper
 43 100
 58 12.7 0.0 62.0

