

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100124\
 Data File : VW030308.D
 Acq On : 01 Oct 2024 14:06
 Operator : SY/MD
 Sample : P4237-04
 Misc : 5.21g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4F09

Quant Time: Oct 02 07:42:50 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092724SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Oct 01 01:01:52 2024
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		8.843	114	193185	25.000	ug/L	0.00
28) Chlorobenzene-d5		11.635	117	115460	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		13.556	152	24580	25.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		2.363	65	54789	36.294	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	145.160%	
7) Chloroethane-d5		2.905	69	37576	34.210	ug/L	0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	136.840%	
11) 1,1-Dichloroethene-d2		4.021	65	30465	27.647	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	110.600%#	
21) 2-Butanone-d5		7.087	46	16111	26.538	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	53.080%	
24) Chloroform-d		7.654	84	118332	22.800	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.200%	
26) 1,2-Dichloroethane-d4		8.307	65	68286	25.208	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	100.840%	
32) Benzene-d6		8.276	84	216713	33.489	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	133.960%	
36) 1,2-Dichloropropane-d6		9.276	67	68384	35.135	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	140.560%#	
41) Toluene-d8		10.325	98	155254	26.164	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	104.640%	
43) trans-1,3-Dichloroprop...		10.581	79	16438	20.305	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	81.200%	
47) 2-Hexanone-d5		10.922	63	11844	36.852	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	73.700%	
56) 1,1,2,2-Tetrachloroeth...		12.690	84	30676	21.092	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	84.360%	
66) 1,2-Dichlorobenzene-d4		13.848	152	17252	21.140	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	84.560%	
Target Compounds							Qvalue
22) 2-Butanone		7.142	43	6774	8.228	ug/L #	47

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100124\
Data File : VW030308.D
Acq On : 01 Oct 2024 14:06
Operator : SY/MD
Sample : P4237-04
Misc : 5.21g/10mL/MSVOA_W/SOIL/A
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
A4F09

Quant Time: Oct 02 07:42:50 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092724SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Oct 01 01:01:52 2024
Response via : Initial Calibration

