

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100322\
 Data File : VW024704.D
 Acq On : 03 Oct 2022 11:32
 Operator : SY/VA
 Sample : VW1003SBL02
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VBLK415

Quant Time: Oct 04 07:50:01 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Sep 30 22:12:13 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.841	114	581594	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.627	117	522992	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	239980	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	144984	23.826	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	95.320%
7) Chloroethane-d5	2.891	69	78679	22.251	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	89.000%
11) 1,1-Dichloroethene-d2	4.025	63	213315	15.146	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	60.600%
21) 2-Butanone-d5	7.079	46	105772	48.348	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.700%
24) Chloroform-d	7.652	84	359759	23.138	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	92.560%
26) 1,2-Dichloroethane-d4	8.305	65	192609	23.880	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	95.520%
32) Benzene-d6	8.274	84	762846	22.821	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	91.280%
36) 1,2-Dichloropropane-d6	9.274	67	240351	23.533	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.120%
41) Toluene-d8	10.323	98	662708	22.181	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.720%
43) trans-1,3-Dichloroprop...	10.579	79	86495	19.017	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	76.080%
47) 2-Hexanone-d5	10.926	63	78108	44.698	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	89.400%
56) 1,1,2,2-Tetrachloroeth...	12.688	84	177052	24.329	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	97.320%
66) 1,2-Dichlorobenzene-d4	13.853	152	206972	24.509	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	98.040%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100322\
Data File : VW024704.D
Acq On : 03 Oct 2022 11:32
Operator : SY/VA
Sample : VW1003SBL02
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VBLK415

Quant Time: Oct 04 07:50:01 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Sep 30 22:12:13 2022
Response via : Initial Calibration

