

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100325\
 Data File : VW032345.D
 Acq On : 03 Oct 2025 11:54
 Operator : SY/MD
 Sample : Q3271-01
 Misc : 5.33g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 72-11929

Quant Time: Oct 04 05:01:08 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W100125S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 02 21:24:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.959	168	196390	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.856	114	436456	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.636	117	450014	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	219840	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	192558	67.223	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	134.440%
35) Dibromofluoromethane	7.904	113	159299	56.358	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	112.720%
50) Toluene-d8	10.325	98	562790	53.948	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	107.900%
62) 4-Bromofluorobenzene	12.617	95	207981	52.747	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	105.500%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100325\
Data File : VW032345.D
Acq On : 03 Oct 2025 11:54
Operator : SY/MD
Sample : Q3271-01
Misc : 5.33g/5mL/MSVOA_W/SOIL/A
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
72-11929

Quant Time: Oct 04 05:01:08 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W100125S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 02 21:24:16 2025
Response via : Initial Calibration

