

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100522\
 Data File : VW024731.D
 Acq On : 05 Oct 2022 12:16
 Operator : SY/VA
 Sample : N4973-04RE
 Misc : 5.84g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EY199RE

Quant Time: Oct 06 01:38:24 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 06 01:37:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	554968	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	404140	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	116555	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	87995	15.155	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	60.600%
7) Chloroethane-d5	2.885	69	58905	17.458	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	69.840%
11) 1,1-Dichloroethene-d2	4.019	63	120364	8.956	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	35.840%#
21) 2-Butanone-d5	7.080	46	143838	68.902	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	137.800%#
24) Chloroform-d	7.647	84	323282	21.790	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	87.160%
26) 1,2-Dichloroethane-d4	8.397	65	327	0.042	ug/L	0.09
Spiked Amount	25.000	Range	70 - 130	Recovery	=	0.160%#
32) Benzene-d6	8.275	84	521371	20.184	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	80.720%
36) 1,2-Dichloropropane-d6	9.274	67	201444	25.524	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	102.080%
41) Toluene-d8	10.323	98	361094	15.640	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	62.560%
43) trans-1,3-Dichloroprop...	10.579	79	55022	15.655	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	62.600%
47) 2-Hexanone-d5	10.920	63	99762	73.878	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	147.760%#
56) 1,1,2,2-Tetrachloroeth...	12.688	84	192689	34.265	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	137.040%#
66) 1,2-Dichlorobenzene-d4	13.853	152	94477	23.035	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	92.160%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100522\
Data File : VW024731.D
Acq On : 05 Oct 2022 12:16
Operator : SY/VA
Sample : N4973-04RE
Misc : 5.84g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EY199RE

Quant Time: Oct 06 01:38:24 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 06 01:37:00 2022
Response via : Initial Calibration

