

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100522\
 Data File : VW024741.D
 Acq On : 05 Oct 2022 17:12
 Operator : SY/VA
 Sample : VIBLK565
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 VIBLK565

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/07/2022
 Supervised By :Mahesh Dadoda 10/07/2022

Quant Time: Oct 06 01:40:08 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 06 01:37:00 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	510558	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	461640	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	221849	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.355	65	127307	23.832	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	95.320%		
7) Chloroethane-d5	2.891	69	72509	23.359	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	93.440%		
11) 1,1-Dichloroethene-d2	4.019	63	199353	16.124	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	64.480%		
21) 2-Butanone-d5	7.080	46	99376	51.745	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	103.480%		
24) Chloroform-d	7.647	84	328477	24.066	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	96.280%		
26) 1,2-Dichloroethane-d4	8.305	65	174713m	24.675	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	98.720%		
32) Benzene-d6	8.275	84	664588	22.524	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	90.080%		
36) 1,2-Dichloropropane-d6	9.274	67	213341	23.664	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	94.640%		
41) Toluene-d8	10.323	98	583920	22.142	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	88.560%		
43) trans-1,3-Dichloroprop...	10.579	79	74374	18.525	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	74.120%		
47) 2-Hexanone-d5	10.927	63	75440	48.908	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	97.820%		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	169732	26.423	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	105.680%		
66) 1,2-Dichlorobenzene-d4	13.853	152	192722	24.687	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	98.760%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100522\
Data File : VW024741.D
Acq On : 05 Oct 2022 17:12
Operator : SY/VA
Sample : VIBLK565
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
VIBLK565

Quant Time: Oct 06 01:40:08 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 06 01:37:00 2022
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Semsettin Yesilyurt 10/07/2022
Supervised By :Mahesh Dadoda 10/07/2022

