

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100623\
 Data File : VW027263.D
 Acq On : 06 Oct 2023 15:22
 Operator : SY/MD
 Sample : 04771-09
 Misc : 4.33g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 07 00:25:03 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092723SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Oct 07 00:22:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	967885	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	883127	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	287254	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	269914	17.749	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	71.000%
7) Chloroethane-d5	2.893	69	255705	21.275	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	85.120%
11) 1,1-Dichloroethene-d2	4.021	65	126658	20.047	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	80.200%
21) 2-Butanone-d5	7.075	46	188016	59.807	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	119.620%
24) Chloroform-d	7.648	84	650992	22.981	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	91.920%
26) 1,2-Dichloroethane-d4	8.307	65	349395	25.737	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.960%
32) Benzene-d6	8.276	84	1283596	23.716	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	94.880%
36) 1,2-Dichloropropane-d6	9.276	67	422827	26.095	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	104.360%
41) Toluene-d8	10.325	98	1060370	22.202	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	88.800%
43) trans-1,3-Dichloroprop...	10.575	79	144699	22.755	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.040%
47) 2-Hexanone-d5	10.922	63	127571	51.467	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	102.940%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	342290	27.602	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	110.400%
66) 1,2-Dichlorobenzene-d4	13.849	152	242717	25.201	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.800%
Target Compounds						Qvalue
16) Methylene chloride	4.923	84	39571	2.089	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100623\
Data File : VW027263.D
Acq On : 06 Oct 2023 15:22
Operator : SY/MD
Sample : 04771-09
Misc : 4.33g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :


Quant Time: Oct 07 00:25:03 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092723SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Oct 07 00:22:13 2023
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.089 ug/L
RT: 4.923 min Scan# 49
Delta R.T. 0.006 min
Lab File: VW027263.D
Acq: 06 Oct 2023 15:22

Instrument :
MSVOA_W
ClientSampleId :



Tgt Ion: 84 Resp: 39571
Ion Ratio Lower Upper
84 100
86 65.1 45.1 83.9
49 118.2 80.9 150.3

