




Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100623\
 Data File : VW027269.D
 Acq On : 06 Oct 2023 17:47
 Operator : SY/MD
 Sample : VIBLK525
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 07 00:27:12 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092723SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Oct 07 00:22:13 2023
 Response via : Initial Calibration



TIC: VW027269.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)




8.453min (+ 0.146) 0.03 ug/L

response 208

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	54.50	61.06
51.00	119.20	113.94
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100623\
Data File : VW027269.D
Acq On : 06 Oct 2023 17:47
Operator : SY/MD
Sample : VIBLK525
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 07 00:27:12 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092723SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Oct 07 00:22:13 2023
Response via : Initial Calibration



TIC: VW027269.D\data.ms

(26) 1,2-Dichloroethane-d4 (S)

8.307min (-0.000) 26.13 ug/L m

response 186476

Ion	Exp%	Act%
65.00	100.00	100.00
67.00	54.50	0.07#
51.00	119.20	0.13#
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\Vw100623\
 Data File : VW027269.D
 Acq On : 06 Oct 2023 17:47
 Operator : SY/MD
 Sample : VIBLK525
 Misc : 5.00g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 07 00:27:12 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092723SMA.M
 Quant Title : SFAM01.0
 QLast Update : Sat Oct 07 00:22:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	508874	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	522647	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	238610	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	158151	19.781	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	79.120%	
7) Chloroethane-d5	2.899	69	142014	22.474	ug/L	0.00
Spiked Amount 25.000	Range 30	- 150	Recovery	=	89.880%	
11) 1,1-Dichloroethene-d2	4.021	65	69647	20.966	ug/L	0.00
Spiked Amount 25.000	Range 45	- 110	Recovery	=	83.880%	
21) 2-Butanone-d5	7.075	46	91065	55.096	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	110.200%	
24) Chloroform-d	7.648	84	348793	23.420	ug/L	0.00
Spiked Amount 25.000	Range 40	- 150	Recovery	=	93.680%	
26) 1,2-Dichloroethane-d4	8.307	65	186476m	26.127	ug/L	0.00
Spiked Amount 25.000	Range 70	- 130	Recovery	=	104.520%	
32) Benzene-d6	8.276	84	693111	21.639	ug/L	0.00
Spiked Amount 25.000	Range 20	- 135	Recovery	=	86.560%	
36) 1,2-Dichloropropane-d6	9.276	67	217541	22.685	ug/L	0.00
Spiked Amount 25.000	Range 70	- 120	Recovery	=	90.760%	
41) Toluene-d8	10.325	98	563920	19.951	ug/L	0.00
Spiked Amount 25.000	Range 30	- 130	Recovery	=	79.800%	
43) trans-1,3-Dichloroprop...	10.575	79	80957	21.512	ug/L	0.00
Spiked Amount 25.000	Range 30	- 135	Recovery	=	86.040%	
47) 2-Hexanone-d5	10.922	63	68692	46.827	ug/L	0.00
Spiked Amount 50.000	Range 20	- 135	Recovery	=	93.660%	
56) 1,1,2,2-Tetrachloroeth...	12.690	84	182070	24.809	ug/L	0.00
Spiked Amount 25.000	Range 45	- 120	Recovery	=	99.240%	
66) 1,2-Dichlorobenzene-d4	13.848	152	197906	24.737	ug/L	0.00
Spiked Amount 25.000	Range 75	- 120	Recovery	=	98.960%	
Target Compounds						
					Qvalue	
70) 1,2,4-trichlorobenzene	15.135	180	4623	0.561	ug/L	91
72) 1,2,3-Trichlorobenzene	15.543	180	5944	0.813	ug/L #	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100623\
Data File : VW027269.D
Acq On : 06 Oct 2023 17:47
Operator : SY/MD
Sample : VIBLK525
Misc : 5.00g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Oct 07 00:27:12 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092723SMA.M
Quant Title : SFAM01.0
QLast Update : Sat Oct 07 00:22:13 2023
Response via : Initial Calibration

