

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100625\
 Data File : VW032366.D
 Acq On : 06 Oct 2025 17:46
 Operator : SY/MD
 Sample : Q3297-01
 Misc : 4.75g/5mL/MSVOA_W/SOIL/A
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 TP1

Quant Time: Oct 07 03:50:36 2025
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W100125S.M
 Quant Title : SW846 8260
 QLast Update : Thu Oct 02 21:24:16 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) Pentafluorobenzene	7.965	168	190254	50.000	ug/l	0.00
34) 1,4-Difluorobenzene	8.849	114	435018	50.000	ug/l	0.00
63) Chlorobenzene-d5	11.629	117	452629	50.000	ug/l	0.00
72) 1,4-Dichlorobenzene-d4	13.556	152	224343	50.000	ug/l	0.00

System Monitoring Compounds						
33) 1,2-Dichloroethane-d4	8.319	65	179724	64.766	ug/l	0.00
Spiked Amount	50.000	Range	63 - 155	Recovery	=	129.540%
35) Dibromofluoromethane	7.898	113	154430	54.816	ug/l	0.00
Spiked Amount	50.000	Range	70 - 134	Recovery	=	109.640%
50) Toluene-d8	10.325	98	550037	52.900	ug/l	0.00
Spiked Amount	50.000	Range	74 - 123	Recovery	=	105.800%
62) 4-Bromofluorobenzene	12.617	95	216378	55.058	ug/l	0.00
Spiked Amount	50.000	Range	17 - 146	Recovery	=	110.120%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100625\
Data File : VW032366.D
Acq On : 06 Oct 2025 17:46
Operator : SY/MD
Sample : Q3297-01
Misc : 4.75g/5mL/MSVOA_W/SOIL/A
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
TP1

Quant Time: Oct 07 03:50:36 2025
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\82W100125S.M
Quant Title : SW846 8260
QLast Update : Thu Oct 02 21:24:16 2025
Response via : Initial Calibration

