

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100722\
 Data File : VW024790.D
 Acq On : 07 Oct 2022 16:52
 Operator : SY/VA
 Sample : N5024-09
 Misc : 6.48g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 C0BP1

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/09/2022
 Supervised By :Mahesh Dadoda 10/10/2022

Quant Time: Oct 07 23:20:06 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 07 03:04:02 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	452052	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	371053	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	126359	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	61502	13.004	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	52.000%		
7) Chloroethane-d5	2.879	69	41902	15.246	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	61.000%		
11) 1,1-Dichloroethene-d2	4.019	63	87344	7.979	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	31.920%#		
21) 2-Butanone-d5	7.086	46	109207	64.223	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	128.440%		
24) Chloroform-d	7.647	84	257147	21.278	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	85.120%		
26) 1,2-Dichloroethane-d4	8.305	65	152061m	24.255	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	97.040%		
32) Benzene-d6	8.275	84	397221	16.749	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	67.000%		
36) 1,2-Dichloropropane-d6	9.274	67	162567	22.435	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	89.720%		
41) Toluene-d8	10.323	98	277729	13.102	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	52.400%		
43) trans-1,3-Dichloroprop...	10.579	79	47752	14.798	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	59.200%		
47) 2-Hexanone-d5	10.920	63	85112	68.650	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	137.300%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	180842	35.026	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	140.120%#		
66) 1,2-Dichlorobenzene-d4	13.853	152	86000	19.341	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	77.360%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100722\
Data File : VW024790.D
Acq On : 07 Oct 2022 16:52
Operator : SY/VA
Sample : N5024-09
Misc : 6.48g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BP1

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 10/09/2022
Supervised By : Mahesh Dadoda 10/10/2022

Quant Time: Oct 07 23:20:06 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 07 03:04:02 2022
Response via : Initial Calibration

