

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100724\
 Data File : VW030421.D
 Acq On : 07 Oct 2024 16:39
 Operator : SY/MD
 Sample : P4284-04
 Misc : 4.78g/10mL/MSVOA_W/SOIL/B
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 A4EQ5

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 10/08/2024
 Supervised By :Semsettin Yesilyurt 10/08/2024

Quant Time: Oct 08 01:28:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092724SMA.M
 Quant Title : SFAM01.0
 QLast Update : Tue Oct 08 01:21:40 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	367515	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	334522	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	139220	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.369	65	49309	17.170	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	68.680%		
7) Chloroethane-d5	2.905	69	37510	17.951	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	71.800%		
11) 1,1-Dichloroethene-d2	4.021	65	41312	19.707	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	78.840%		
21) 2-Butanone-d5	7.075	46	42059	36.418	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	72.840%		
24) Chloroform-d	7.654	84	211507	21.422	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	85.680%		
26) 1,2-Dichloroethane-d4	8.307	65	108893m	21.130	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	84.520%		
32) Benzene-d6	8.276	84	429307	22.898	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	91.600%		
36) 1,2-Dichloropropane-d6	9.270	67	129352	22.939	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	91.760%		
41) Toluene-d8	10.318	98	389473	22.654	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	90.600%		
43) trans-1,3-Dichloroprop...	10.581	79	49393	21.058	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	84.240%		
47) 2-Hexanone-d5	10.922	63	36387	39.076	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	78.160%		
56) 1,1,2,2-Tetrachloroeth...	12.690	84	86362	20.495	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	82.000%		
66) 1,2-Dichlorobenzene-d4	13.848	152	115380	24.962	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	99.840%		
Target Compounds					Qvalue	
13) Acetone	4.131	43	6680	5.453	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100724\
Data File : VW030421.D
Acq On : 07 Oct 2024 16:39
Operator : SY/MD
Sample : P4284-04
Misc : 4.78g/10mL/MSVOA_W/SOIL/B
ALS Vial : 11 Sample Multiplier: 1


Instrument :
MSVOA_W
ClientSampleId :
A4EQ5

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 10/08/2024
Supervised By :Semsettin Yesilyurt 10/08/2024

Quant Time: Oct 08 01:28:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092724SMA.M
Quant Title : SFAM01.0
QLast Update : Tue Oct 08 01:21:40 2024
Response via : Initial Calibration





#13

Acetone

Concen: 5.453 ug/L

RT: 4.131 min Scan# 30

Delta R.T. 0.012 min

Lab File: VW030421.D

Acq: 07 Oct 2024 16:39

Instrument :

MSVOA_W

ClientSampleId :

A4EQ5

Tgt Ion: 43 Resp: 6680

Ion Ratio Lower Upper

43 100

58 30.5 0.0 64.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 10/08/2024
Supervised By :Semsettin Yesilyurt 10/08/2024

