

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100924\
 Data File : VW030493.D
 Acq On : 09 Oct 2024 23:11
 Operator : SY/MD
 Sample : P4346-20
 Misc : 3.19g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :

Quant Time: Oct 10 01:33:20 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 10 01:29:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	293256	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	294169	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	138001	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	100669	21.839	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	87.360%
7) Chloroethane-d5	2.905	69	84121	24.109	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	96.440%
11) 1,1-Dichloroethene-d2	4.021	65	43011	22.434	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	89.720%
21) 2-Butanone-d5	7.087	46	40015	48.237	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	96.480%
24) Chloroform-d	7.648	84	195150	23.269	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	93.080%
26) 1,2-Dichloroethane-d4	8.307	65	110847	25.418	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	101.680%
32) Benzene-d6	8.276	84	376951	22.078	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	88.320%
36) 1,2-Dichloropropane-d6	9.270	67	114634	22.875	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	91.520%
41) Toluene-d8	10.319	98	352518	22.617	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	90.480%
43) trans-1,3-Dichloroprop...	10.581	79	46625	22.219	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.880%
47) 2-Hexanone-d5	10.922	63	33389	51.730	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	103.460%
56) 1,1,2,2-Tetrachloroeth...	12.690	84	86879	23.607	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.440%
66) 1,2-Dichlorobenzene-d4	13.848	152	115667	24.771	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.080%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100924\
Data File : VW030493.D
Acq On : 09 Oct 2024 23:11
Operator : SY/MD
Sample : P4346-20
Misc : 3.19g/10mL/MSVOA_W/SOIL/A
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :

Quant Time: Oct 10 01:33:20 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 10 01:29:22 2024
Response via : Initial Calibration

