

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100924\
 Data File : VW030479.D
 Acq On : 09 Oct 2024 17:35
 Operator : SY/MD
 Sample : P4346-05
 Misc : 2.56g/10mL/MSVOA_W/SOIL/A
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 EOAW7

Manual Integrations
 APPROVED

Reviewed By :Romaben Patel 10/10/2024
 Supervised By :Mahesh Dadoda 10/10/2024

Quant Time: Oct 10 01:30:11 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
 Quant Title : SFAM01.0
 QLast Update : Thu Oct 10 01:29:22 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.843	114	29020	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.629	117	24327	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.556	152	7532	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.363	65	11725	25.704	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 102.800%			
7) Chloroethane-d5	2.893	69	11452	33.167	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery = 132.680%			
11) 1,1-Dichloroethene-d2	4.027	65	4975	26.222	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery = 104.880%			
21) 2-Butanone-d5	7.087	46	8201	99.903	ug/L	0.01
Spiked Amount 50.000	Range 20 - 135		Recovery = 199.800%#			
24) Chloroform-d	7.654	84	29787	35.892	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery = 143.560%			
26) 1,2-Dichloroethane-d4	8.307	65	21398m	49.583	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery = 198.320%#			
32) Benzene-d6	8.276	84	48157	34.107	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery = 136.440%#			
36) 1,2-Dichloropropane-d6	9.276	67	18154	43.806	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery = 175.240%#			
41) Toluene-d8	10.325	98	31668	24.569	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery = 98.280%			
43) trans-1,3-Dichloroprop...	10.581	79	5082	29.286	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery = 117.160%			
47) 2-Hexanone-d5	10.928	63	4645	87.023	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery = 174.040%#			
56) 1,1,2,2-Tetrachloroeth...	12.690	84	15309	50.301	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery = 201.200%#			
66) 1,2-Dichlorobenzene-d4	13.854	152	8881	34.848	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery = 139.400%#			

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW100924\
Data File : VW030479.D
Acq On : 09 Oct 2024 17:35
Operator : SY/MD
Sample : P4346-05
Misc : 2.56g/10mL/MSVOA_W/SOIL/A
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
EOAW7

Quant Time: Oct 10 01:30:11 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM100924SMA.M
Quant Title : SFAM01.0
QLast Update : Thu Oct 10 01:29:22 2024
Response via : Initial Calibration

Manual Integrations
APPROVED

Reviewed By :Romaben Patel 10/10/2024
Supervised By :Mahesh Dadoda 10/10/2024

