

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_W\Data\VW101022\  
 Data File : VW024812.D  
 Acq On : 10 Oct 2022 17:20  
 Operator : SY/VA  
 Sample : N5049-16  
 Misc : 5.80g/10mL/MSVOA\_W/SOIL  
 ALS Vial : 1 Sample Multiplier: 1

Instrument :  
 MSVOA\_W  
 ClientSampleId :  
 C0BS4

Quant Time: Oct 11 01:59:22 2022  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_W\Method\SFAMWLM092622SMA.M  
 Quant Title : SFAM01.0  
 QLast Update : Fri Oct 07 03:04:02 2022  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min)  |
|-------------------------------|--------|-------|----------|----------|-------|-----------|
| -----                         |        |       |          |          |       |           |
| Internal Standards            |        |       |          |          |       |           |
| 1) 1,4-Difluorobenzene        | 8.841  | 114   | 436687   | 25.000   | ug/L  | 0.00      |
| 28) Chlorobenzene-d5          | 11.628 | 117   | 362731   | 25.000   | ug/L  | 0.00      |
| 58) 1,4-Dichlorobenzene-d4    | 13.554 | 152   | 149309   | 25.000   | ug/L  | 0.00      |
| System Monitoring Compounds   |        |       |          |          |       |           |
| 4) Vinyl Chloride-d3          | 2.355  | 65    | 64780    | 14.178   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 30 - 150 | Recovery | =     | 56.720%   |
| 7) Chloroethane-d5            | 2.885  | 69    | 48460    | 18.252   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 30 - 150 | Recovery | =     | 73.000%   |
| 11) 1,1-Dichloroethene-d2     | 4.019  | 63    | 96282    | 9.105    | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 45 - 110 | Recovery | =     | 36.400%#  |
| 21) 2-Butanone-d5             | 7.080  | 46    | 99631    | 60.653   | ug/L  | 0.00      |
| Spiked Amount                 | 50.000 | Range | 20 - 135 | Recovery | =     | 121.300%  |
| 24) Chloroform-d              | 7.653  | 84    | 279808   | 23.968   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 40 - 150 | Recovery | =     | 95.880%   |
| 26) 1,2-Dichloroethane-d4     | 8.305  | 65    | 155443   | 25.667   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 70 - 130 | Recovery | =     | 102.680%  |
| 32) Benzene-d6                | 8.274  | 84    | 431247   | 18.601   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 20 - 135 | Recovery | =     | 74.400%   |
| 36) 1,2-Dichloropropane-d6    | 9.274  | 67    | 176390   | 24.901   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 70 - 120 | Recovery | =     | 99.600%   |
| 41) Toluene-d8                | 10.323 | 98    | 306015   | 14.768   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 30 - 130 | Recovery | =     | 59.080%   |
| 43) trans-1,3-Dichloroprop... | 10.579 | 79    | 48952    | 15.518   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 30 - 135 | Recovery | =     | 62.080%   |
| 47) 2-Hexanone-d5             | 10.926 | 63    | 76171    | 62.847   | ug/L  | 0.00      |
| Spiked Amount                 | 50.000 | Range | 20 - 135 | Recovery | =     | 125.700%  |
| 56) 1,1,2,2-Tetrachloroeth... | 12.688 | 84    | 189278   | 37.501   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 45 - 120 | Recovery | =     | 150.000%# |
| 66) 1,2-Dichlorobenzene-d4    | 13.847 | 152   | 119916   | 22.824   | ug/L  | 0.00      |
| Spiked Amount                 | 25.000 | Range | 75 - 120 | Recovery | =     | 91.280%   |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_W\Data\VW101022\  
Data File : VW024812.D  
Acq On : 10 Oct 2022 17:20  
Operator : SY/VA  
Sample : N5049-16  
Misc : 5.80g/10mL/MSVOA\_W/SOIL  
ALS Vial : 1 Sample Multiplier: 1

Instrument :  
MSVOA\_W  
ClientSampleId :  
C0BS4

Quant Time: Oct 11 01:59:22 2022  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_W\Method\SFAMWLM092622SMA.M  
Quant Title : SFAM01.0  
QLast Update : Fri Oct 07 03:04:02 2022  
Response via : Initial Calibration

