

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101022\
 Data File : VW024803.D
 Acq On : 10 Oct 2022 13:44
 Operator : SY/VA
 Sample : N5049-07
 Misc : 4.80g/10mL/MSVOA_W/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_W
 ClientSampleId :
 COBL8

Manual Integrations
 APPROVED

Reviewed By :Semsettin Yesilyurt 10/11/2022
 Supervised By :Mahesh Dadoda 10/11/2022

Quant Time: Oct 11 01:58:18 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
 Quant Title : SFAM01.0
 QLast Update : Fri Oct 07 03:04:02 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	8.842	114	477363	25.000	ug/L	0.00
28) Chlorobenzene-d5	11.628	117	361873	25.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	13.554	152	105799	25.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	2.349	65	63514	12.717	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	50.880%		
7) Chloroethane-d5	2.885	69	45462	15.664	ug/L	0.00
Spiked Amount 25.000	Range 30 - 150		Recovery =	62.640%		
11) 1,1-Dichloroethene-d2	4.013	63	94842	8.204	ug/L	0.00
Spiked Amount 25.000	Range 45 - 110		Recovery =	32.800%#		
21) 2-Butanone-d5	7.080	46	115378	64.254	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	128.500%		
24) Chloroform-d	7.647	84	295925	23.189	ug/L	0.00
Spiked Amount 25.000	Range 40 - 150		Recovery =	92.760%		
26) 1,2-Dichloroethane-d4	8.305	65	155889m	23.548	ug/L	0.00
Spiked Amount 25.000	Range 70 - 130		Recovery =	94.200%		
32) Benzene-d6	8.275	84	429934	18.588	ug/L	0.00
Spiked Amount 25.000	Range 20 - 135		Recovery =	74.360%		
36) 1,2-Dichloropropane-d6	9.274	67	183184	25.921	ug/L	0.00
Spiked Amount 25.000	Range 70 - 120		Recovery =	103.680%		
41) Toluene-d8	10.323	98	305848	14.795	ug/L	0.00
Spiked Amount 25.000	Range 30 - 130		Recovery =	59.160%		
43) trans-1,3-Dichloroprop...	10.579	79	52509	16.685	ug/L	0.00
Spiked Amount 25.000	Range 30 - 135		Recovery =	66.720%		
47) 2-Hexanone-d5	10.921	63	86430	71.481	ug/L	0.00
Spiked Amount 50.000	Range 20 - 135		Recovery =	142.960%#		
56) 1,1,2,2-Tetrachloroeth...	12.688	84	179775	35.702	ug/L	0.00
Spiked Amount 25.000	Range 45 - 120		Recovery =	142.800%#		
66) 1,2-Dichlorobenzene-d4	13.853	152	79784	21.430	ug/L	0.00
Spiked Amount 25.000	Range 75 - 120		Recovery =	85.720%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_W\Data\VW101022\
Data File : VW024803.D
Acq On : 10 Oct 2022 13:44
Operator : SY/VA
Sample : N5049-07
Misc : 4.80g/10mL/MSVOA_W/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_W
ClientSampleId :
C0BL8

Manual Integrations
APPROVED

Reviewed By : Semsettin Yesilyurt 10/11/2022
Supervised By : Mahesh Dadoda 10/11/2022

Quant Time: Oct 11 01:58:18 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_W\Method\SFAMWLM092622SMA.M
Quant Title : SFAM01.0
QLast Update : Fri Oct 07 03:04:02 2022
Response via : Initial Calibration

